

HEATER, HEARTH & OUTDOOR LIVING

2020-2021



Tarantin
INDUSTRIES, INC.



Download our app - Order from Anywhere



ORDER BY PHONE: 800-922-0724 | ORDER ONLINE: WWW.TARANTIN.COM



TABLE OF CONTENTS

4 Space Heaters	66 Liners
20 Outdoor Living	67 Mantels
28 Cast Iron Stoves	68 Doors
30 Logs & Burners	69 Louvers
39 Fireboxes	70 Direct Vents
47 Fireplaces	76 Venting
64 Inserts	79 Wireless Control Systems

Terms and Conditions:

Items highlighted are stocked. Free freight is not offered on direct shipment items. There is a 20% restocking fee. Special orders are not returnable. There is a 30 day return policy on unopened boxes with resellable products. Not responsible for typographical errors. Prices subject to change without notice.



Download our app - Order from Anywhere





HSVFR10



HSSVFR30



HSSVFR20

INFRARED VENT-FREE HEATERS

MODEL	FUEL TYPE	BTU	HEATING AREA	HEAT ADJUSTMENT
HSVFR10NG	Natural Gas	10,000 BTU	up to 300 sq. ft.	Low and High heat settings
HSSVFRD10LPT	Propane	10,000 BTU	up to 300 sq. ft.	with Thermostat LP Only
HSSVFR20NGBT	Natural Gas	20,000 BTU	up to 600 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFRD20LPBT	Propane			
HSSVFR30NGBT	Natural Gas	30,000 BTU	up to 1,000 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFRD30LPBT	Propane			
HSSVFRD30LPBT-NF*	Propane	30,000 BTU	up to 1,000 sq. ft.	Includes thermostat, and electronic ignition

*Fan sold separately (Part #F299201)

Pricing is on Price List insert.

■ = STOCKED



BLUE FLAME VENT-FREE HEATERS

MODEL	FUEL TYPE	BTU	HEATING AREA	HEAT ADJUSTMENT
HSVFB10NG	Natural Gas	10,000 BTU	up to 300 sq. ft.	Low and High heat settings
HSVFB10LP	Propane			
HSSVFBF10LPBT	Propane	10,000 BTU	up to 300 sq. ft.	with Thermostat LP Only
HSSVFB20NGBT	Natural Gas	20,000 BTU	up to 600 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFBF20LPBT	Propane			
HSSVFB30NGBT	Natural Gas	30,000 BTU	up to 1,000 sq. ft.	Includes fan, thermostat, and electronic ignition
HSSVFBF30LPBT	Propane			
HSSVFBF30LPBT-NF*	Propane	30,000 BTU	up to 1,000 sq. ft.	Includes thermostat, and electronic ignition

All heaters include blower, floor stand, and bracket

*Fan sold separately (Part #F299201)

Pricing is on Price List insert.

■ = STOCKED



INFRARED VENT-FREE HEATERS

MODEL	IGNITION	BTU	FUEL	CONTROL TYPE
HRW06ML	SP/Piezo	6,000	Propane	Manual
HRW06MN	SP/Piezo	6,000	Natural Gas	Manual
HRW10ML	SP/Piezo	10,000	Propane	Manual
HRW10MN	SP/Piezo	10,000	Natural Gas	Manual
HRW10TL	SP/Piezo	10,000	Propane	Thermostat
HRW10TN	SP/Piezo	10,000	Natural Gas	Thermostat
HRW17ML	SP/Piezo	16,800	Propane	Manual
HRW17TL	SP/Piezo	17,100	Propane	Thermostat
HRW18MN	SP/Piezo	18,000	Natural Gas	Manual
HRW18TN	SP/Piezo	18,000	Natural Gas	Thermostat
HRW25ML	SP/Piezo	25,000	Propane	Manual
HRW25TL	SP/Piezo	30,000	Propane	Thermostat
HRW30ML	SP/Piezo,	25,000	Propane	Manual
HR30TN	SP/Piezo	30,000	Natural Gas	Thermostat

MODEL	ACCESSORIES	FITS HEATERS
HABLR	Blower	15,000-30,000 BTU
HABF	Stand	6,000-30,000 BTU, 2011 and newer

■ = STOCKED



BLUE FLAME VENT-FREE HEATERS

MODEL	IGNITION	BTU	FUEL	CONTROL TYPE
HBW06ML	SP/Piezo	6,000	Propane	Manual
HBW06MN	SP/Piezo	6,000	Natural Gas	Manual
HBW10ML	SP/Piezo	10,000	Propane	Manual
HBW10MN	SP/Piezo	10,000	Natural Gas	Manual
HBW10TL	SP/Piezo	10,000	Propane	Thermostat
HBW10TN	SP/Piezo	10,000	Natural Gas	Thermostat
HBW20ML	SP/Piezo	20,000	Propane	Manual
HBW20MN	SP/Piezo	20,000	Natural Gas	Thermostat
HBW20TL	SP/Piezo	20,000	Propane	Thermostat
HBW20TN	SP/Piezo	20,000	Natural Gas	Thermostat
HBW30ML	SP/Piezo	30,000	Propane	Manual
HBW30MN	SP/Piezo	30,000	Natural Gas	Manual
HBW30TL	SP/Piezo	30,000	Propane	Thermostat
HBW30TN	SP/Piezo	30,000	Natural Gas	Thermostat

MODEL	ACCESSORIES	FITS HEATERS
HABLR	Blower	15,000-30,000 BTU
HABF	Stand	6,000-30,000 BTU, 2011 and newer

= STOCKED



INFRARED VENT-FREE HEATERS

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	SETTING TYPE
SR6WLP	SR6WNAT	SP/Piezo	6,000	Manual
SR10WLP	SR10WNAT	SP/Piezo	10,000	Manual 1-Heat
SR10TWLP	SR10TWNAT	SP/Piezo	10,000	Hydraulic Thermostat
SR18WLP	SR18WNAT	SP/Piezo	18,000	Manual 3-Heat
SR18TWLP	SR18TWNAT	SP/Piezo	18,000	Hydraulic Thermostat
SR30WLP	SR30WNAT	SP/Piezo	30,000	Manual 3-Heat
SR30TWLP	SR30TWNAT	SP/Piezo	30,000	Hydraulic Thermostat



SR-10



SR-30

MODEL	ACCESSORIES
SRB18W	Blower for SR18W
SRB18TW	Automatic Blower for SR18TW
SRB30W	Blower for SR30W
SRB30TW	Automatic Blower for SR30TW
SRS10W	Stand for Floor Installation of SR6W, SR10W, SR10TW
SRS18W	Stand for Floor Installation of SR18W, SR18TW
SRS30W	Stand for Floor Installation of SR30W, SR30TW



BF-20



BF-30

BLUE FLAME VENT-FREE HEATERS

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	THERMOSTAT
BF10WLP	BF10WNAT	SP/Piezo	10,000	Hydraulic
BF20WLP	BF20WNAT	SP/Piezo	20,000	Modulating Hydraulic
BF30WLP	BF30WNAT	SP/Piezo	30,000	Modulating Hydraulic

MODEL	ACCESSORIES
SRB18TW	Automatic Blower for BF10W, BF20W
SRB30TW	Automatic Blower for BF30W
SRS18W	Stand for Floor Installation of BF10W, BF20W
SRS30W	Stand for Floor Installation of BF30W

■ = STOCKED



DIRECT VENT WALL FURNACES

DV-210 & DV-215

MODEL	FUEL SOURCE	IGNITION	BTU
DV210SGXLP	Propane	SP/Piezo	10,000
DV210SGXNAT	Natural Gas	SP/Piezo	10,000
DV215SGXLP	Propane	SP/Piezo	15,000
DV215SGXNAT	Natural Gas	SP/Piezo	15,000

Thermostat not included



DV-215



DV-25

DV-25 & DV-35

MODEL	FUEL SOURCE	IGNITION	BTU	THERMOSTAT TYPE
DV-25-SG-LP	Propane	SP/Piezo	25,000	Wall Thermostat, Millivolt
DV-25-SG-NAT	Natural Gas	SP/Piezo	25,000	Wall Thermostat, Millivolt
DV-35-SG-LP	Propane	SP/Piezo	35,000	Wall Thermostat, Millivolt
DV-35-SG-NAT	Natural Gas	SP/Piezo	35,000	Wall Thermostat, Millivolt

MODEL	ACCESSORIES
DRB-1	Automatic Blower
TRW	Wireless Remote Wall Thermostat
VSK-2	Slim-Line Vinyl Siding Kit- includes outside
DV-822	Vinyl Siding Vent Kit

= STOCKED



HIGH-EFFICIENT DIRECT VENT WALL FURNACES

PROPANE MODEL	NAT GAS MODEL	BTU
DV-20E-LP	DV-20E-NAT	20,000
DV-40E-LP	DV-20E-NAT	40,000
DV-55E-LP	DV-55E-NAT	55,000

Electronic Control, Ignition and Thermistor Included

MODEL	ACCESSORIES
DVE-1	Intake/Exhaust Extension Kit (54 in. kit with 2 elbows) for DV-20E/DV-40E
DVE-2	Intake/Exhaust Extension Kit (54 in. kit for extended vent for DV-20E/DV-40E runs)
TRW	Wireless Remote Wall Thermostat
DVT-2	Extended Vent Terminal (for walls up to 32 in. thick)
DVP-1	Floor Pad
T24V	Wall Thermostat, 24-Volt



DV-40E P/N



GWT-25 P/N

GRAVITY VENTED WALL FURNACES

PROPANE MODEL	NAT GAS MODEL	BTU	CONTROL	IGNITION
GWT-25-LP	GWT-25-NAT	25,000	Millivolt Control	Standing Pilot Ignition
GWT-35-LP	GWT-35-NAT	35,000	Millivolt Control	Standing Pilot Ignition
GWT-50-LP	GWT-50-NAT	50,000, heats 2 rooms	Millivolt Control	Standing Pilot Ignition

MODEL	ACCESSORIES
GWRB-T	Remote Bulb Thermostat, Millivolt, fits above Furnaces
TMV	Wall Thermostat, Millivolt- Reed Switch
TRW	Wireless Remote Wall Thermostat

■ = STOCKED



DIRECT VENT WALL FURNACES



DV-55

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	VOLTAGE
DVC35SPPXLP	DVC35SSPXNAT	SP/Piezo	35,000	24V
DVC35IPXLP	DVC35IPXNAT	IP/Electronic	35,000	24V
DVC55SPPXLP	DVC55SPPXNAT	SP/Piezo	55,000	24V
DVC55IPXLP*	DVC55IPXNAT*	IP/Electronic	55,000	24V

*Vent Kit/Cap Included
Thermostat not included

MODEL	ACCESSORIES	LIST PRICE
SOR-1	Side Outlet Register	\$119.00
SOK-1	10" Side Outlet Kit	\$139.00
VSK-2	Slim-Line Vinyl Siding Kit- includes outside wall plate/shield	\$46.00
DV-822	Vinyl Siding Vent Kit	\$81.00
TRW	Wireless Remote Wall Thermostat	\$184.00
TMV	Wall Thermostat Millivolt Reed Switch	\$32.00



CONVENTIONAL VENT COUNTERFLOW WALL FURNANCES

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	VOLTAGE
FAW40SPPXLP	FAW40SPPXNAT	SP/Piezo	40,000	24V
FAW40IPXLP	FAW40IPXNAT	IP/Electronic	40,000	24V
FAW55SPPXLP	FAW55SPPXNAT	SP/Piezo	55,000	24V
FAW55IPXLP	FAW55IPXNAT	IP/Electronic	55,000	24V

Thermostat not included

MODEL	ACCESSORIES
SOR-1	Side Outlet Register
SOK-1	10" Side Outlet Kit
ROK-1	10" Rear Outlet Kit
TRW	Wireless Remote Wall Thermostat
TMV	Wall Thermostat Millivolt Reed Switch

FAW-55

■ = STOCKED



VENTED ROOM HEATERS



RH-35 P/N

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-25-LP	RH-25-NAT	SP/Piezo	25,000	Hydraulic
RH-35-LP	RH-35-NAT	SP/Piezo	35,000	Hydraulic

MODEL	ACCESSORIES
DRB-1	Automatic Blower
DVP-1	Floor Pad, 36 x 14 in.

VISUAL FLAME HEATERS WITH BLOWER

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-50B-LP	RH-50B-NAT	SP/Piezo	50,000	Hydraulic
RH-65B-LP	RH-65B-NAT	SP/Piezo	65,000	Hydraulic



RH-65B P/N

CLOSED FRONT ROOM HEATERS



RH-50C P/N

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	THERMOSTAT TYPE
RH-50C-LP	RH-50C-NAT	SP/Piezo	50,000	Hydraulic
RH-65C-LP	RH-65C-NAT	SP/Piezo	65,000	Hydraulic
RH-50CB-LP*	RH-50CB-NAT*	SP/Piezo	50,000	Hydraulic
RH-65CB-LP*	RH-65CB-NAT*	SP/Piezo	65,000	Hydraulic

*Blower Installed

MODEL	ACCESSORIES
FRB-3	Automatic Blower (Optional on RH-50C/65C)
RAD-8	Radiants and Supports (Optional on RH50B/65B)
RHL-2	Log Kit (Optional on RH50B/65B)
RH-425	Floor Pad, 36 x 21 in.

■ = STOCKED



FLOOR FURNACES

PROPANE MODEL	NAT GAS MODEL	IGNITION	BTU	KIT
3588XLP	3588XNAT	SP/Piezo	32,500	Diverter Kit included
5088XLP	5088XNAT	SP/Piezo	45,000	Diverter Kit included
7088XLP	7088XNAT	SP/Piezo	55,000	Diverter Kit included

Thermostat not included

MODEL	ACCESSORIES
TRW	Wireless Remote Wall Thermostat

SUPER-EFFICIENT WALL FURNACE



PROPANE MODEL	NAT GAS MODEL	DESCRIPTION	BTU
PVS-18P	PVS-18N	Ultra Saver 90-Plus Wall Furnace w. Blower	17,500
PVS-35P	PVS-35N	Ultra Saver 90-Plus Wall Furnace w. Blower	35,000



MODEL	ACCESSORIES
PVSCT10	Condensate Tube Extension, 10 ft.
PVSEP1	External Condensate Pump Kit
PVSHT2	Humidification Tray, Heated

MODEL	CONTROL OPTIONS
FRBTPL	Battery Backlit Remote, Programmable Thermostat
PVSRT1	Temperature Sensor Relocation Kit

MODEL	VENTING
PVSA1	Air Pipe Kit (For DV Installation)
PVSDV35A	Vent Adaptor DV35 to PVS18/35, Includes Vent Cap Cover & Transition Plate

MODEL	INSTALLATION KITS
PVSDS1	Deep Rear Shroud
PVSW1	Wall Mount Shroud

MODEL	CONVERSION KITS
32276	Natural to LP
32277	LP to Natural

■ = STOCKED



L.B. WHITE CONSTRUCTION HEATERS

PART NUMBER	BTU	CFM	IGNITION	BURNER	MATERIAL	HOSES
WORKMAN 225 PLUS	40-225K	1,000	Piezo Pilot	Stainless	Aluminized Steel	10'
NORSEMAN 200 PLUS	200,000	850	Piezo Pilot	Cast Iron	Heavy Gauge Painted Steel	10'
NORSEMAN 250 (341)	250,000	1041	Pilot	Cast Iron	Heavy Gauge Painted Steel	10'

L.B. White Workman and Norseman convection heaters deliver highly efficient heat without the need for electricity.
 *All construction heaters run on propane except the WORKMAN 100N PLUS which runs on natural gas.



HEATSTAR CONVECTION HEATERS

PART NUMBER	BTU	RUNTIME	AREA
HS80CV	30,000-80,000	14 hrs	1,900 sq. ft.
HS200CV*	75,000-200,000	29 hrs	4,700 sq. ft.

*Comes with 12" hose and regulator

■ = STOCKED

HEATSTAR MANUAL FORCED AIR HEATERS



MODEL	BTU	IGNITION	HOSE	RUNTIME	AREA
HS35FA	35,000	Piezo	20 ft.	12 hrs	800 sq. ft.
HS55FAV	30,000-50,000	Continuous	20 ft.	14 hrs	1,250 sq. ft.
HS125FAV	75,000-125,000	Continuous	10 ft.	11 hrs	3,000 sq. ft.

*Call for other hose lengths



HEATSTAR THERMOSTAT FORCED AIR HEATERS

MODEL	BTU	HOSE	RUNTIME	AREA
HS170FAVT	125,000-170,000	10 ft.	17 hrs	4,000 sq. ft.
HS400FAVT	250,000-400,000	20 ft.	17 hrs	9,000 sq. ft.

*Call for other hose lengths



L.B. WHITE PORTABLE HEATERS

MODEL	BTU	CFM	IGNITION	BURNER	CASE MATERIAL	HOSE
TRADESMAN 100	100,000	350	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 170	170,000	625	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 170 ULTRA	170,000	625	Direct Spark	Stainless	Steel w. Tri-Shield Coating	10'
TRADESMAN 400	400,000	1582	Direct Spark	Cast Iron	Steel w. Tri-Shield Coating	10'
TRADESMAN 400 ULTRA	400,000	1582	Direct Spark	Cast Iron	Steel w. Tri-Shield Coating	10'

L.B. White Tradesman portable forced air heaters offer the best value in economical, high-volume construction heating.



DXH125FAV



DXH170FAVT

JOB-SITE HEATERS

MODEL	BTU OUTPUT	HEATS UP TO:	CFM OUTPUT	MINIMUM TANK SIZE	APPROX. RUN TIME ON MIN. TANK	THERMOSTAT
DXH125FAV	75,000-125,000	3,200 Sq. Ft.	350	40 lbs.	6.5 Hrs. High 11 Hrs. Low	NO
DXH170FAVT	125,000-170,000	4,000 Sq. Ft.	450	100 lbs.	10.5 Hrs. High 17 Hrs. Low	YES

 = STOCKED

SPACE HEATERS



MR. HEATER CABINET HEATER

Typically used for patios, decks, and construction sites. Features Hi-Med-Low settings, automatic low oxygen shut-off system, requires no electricity, 6,000-18,000 BTU/hour, and operates on a standard 20 lb. cylinder.

Model: MH18CH

TENT HEATERS

The Premier's clean look, quiet operation, and fuel efficient direct-fired design make it the perfect heating solution for any tented event.



MODEL	BTU	CFM	IGNITION	BURNER	CASE MATERIAL
PREMIER 80	80,000	450	Direct Spark	Stainless	Exclusive Tri-Shield Coating
PREMIER 170	170,000	1200	Direct Spark	Stainless	Exclusive Tri-Shield Coating

TANK TOP HEATERS



MODEL	BTU	IGNITION	USE WITH
MH12C	8,000-14,000	Manual Light	disposable cylinder
MH12T	8,000-14,000	Manual Light	5-20 lb cylinder
MH15TS	8,000-14,000	Electronic Spark	5-20 lb cylinder
MH24T	8,000-28,000	Manual Light	20 lb cylinder
MH30TS	8,000-28,000	Electronic Spark	20 lb cylinder
MH42T	8,000-42,000	Manual Light	20-100 lb cylinder



MODEL	DESCRIPTION	BTU
MH540T	Tank Top Heater	48,000 BTU/Hr.




ATV/GOLF CART HEATER

MODEL	DESCRIPTION	BTU
MH4GC	ATV/Golf Cart Heater (Propane)	4,000 BTU/Hr.

GARAGE/SHOP HEATERS

MODEL	ACCESSORIES
GH22L	22,000 BTU, Propane, Heats up to 600 sq. ft.
GH25N	25,000 BTU, Natural Gas, Heats up to 600 sq. ft.



HOSES

MODEL	DESCRIPTION
F273702	12 ft. Hose & Regulator Assembly. Connects appliances using a disposable cylinder to a 20 lb. cylinder. Hand tighten swivels (1"-20") on both ends. Male Throwing Cylinder Thread x Excess Flow Soft Nose P.O.L with Hand wheel
F273711	12 ft. Propane Hose Assembly. Commonly used with most distribution posts or T and Y connectors. Swivel 1"-20". Male Throwing Cylinder Thread x Swivel 1 - 20 in. Female Throwing Cylinder Thread.



* Call for other hose lengths.

■ = STOCKED



HD POWER-EXHAUSTED GAS-FIRED UNIT HEATERS

Certified for all types of use, lightweight, easy installation, low-profile design, full 10-year warranty on heat exchanger.




NATURAL GAS MODEL	PROPANE MODEL	BTU	VENT SIZE
HD30AS0111*	HD30AS0121*	30,000	3"
HD45AS0111	HD45AS0121*	45,000	3"
HD60AS0111	HD60AS0121*	60,000	3"
HD75AS0111*	HD75AS0121*	75,000	3"
HD100AS0111	HD100AS0121	100,000	4"
HD125AS0111	HD125AS0121	125,000	4"

New special edition and appearance packages

VENTING FOR POWER EXHAUSTED UNIT

Kit includes: universal appliance adapter, two 12" vent lengths, termination tee, wall thimble, and adjustable vent length.



MODEL	DESCRIPTION
FSCMK3	3" Vent Diameter
FSCMK04	4" Vent Diameter

HDS SEPARATED COMBUSTION GAS-FIRED UNIT HEATERS

Same features as the HD model on previous page, but combustion air is drawn from outside the work space, ensuring fresh, clean air and leading to increased heating efficiency, greater durability, and reduced maintenance.



NATURAL GAS MODEL	PROPANE MODEL	BTU
----	HDS45AS0121	45,000
HDS60AS0111	HDS60AS0121	60,000
HDS75AS0111	HDS75AS0121	75,000
HDS100AS0111	HDS100AS0121	100,000
HDS125AS0111	HDS125AS0121	125,000
PTS150AS0111	PTS150AE0121	150,000
----	PTS175AS0121	175,000
PTS200AS0111	PTS200AS0121	200,000
PTS250AS0121	PTS250AS0121	250,000
----	PTS300AS0121	300,000
----	PTS350AS0121	350,000

= STOCKED



HIGH EFFICIENCY II POWER EXHAUSTED GAS-FIRE UNIT HEATER

The PDP (propeller) High Efficiency II gas-fired unit heaters are easy to use, inexpensive to install, and are certified for both commercial and industrial applications.



NATURAL GAS MODEL	PROPANE MODEL	BTU
PDP150AE0130	PDP150AE0185	150,000
PDP175AE0130	PDP175AE0185	175,000
PDP200AE0130	PDP200AE0185	200,000
PDP250AE0130	PDP250AE0185	250,000
----	PDP300AE0185	300,000
----	PDP350AE0185	350,000



EFFINITY 93 HIGH EFFICIENCY HEATER

The Effinity 93 gas-fired unit heaters all operate at 93% efficiency. They feature a secondary heat exchanger to withstand the acidic condensation that is a byproduct of the combustion process.


MODEL	STAINLESS STEEL CASE	BTU	CASE MATERIAL
PTC135-AS	PTC135-SS	135,000	Aluminized Steel
PTC155-AS	PTC155-SS	155,000	Aluminized Steel



■ = STOCKED

SUNSTAR INFRARED GAS HEATERS

SPACE HEATERS



NATURAL GAS MODEL	PROPANE MODEL	BTU
SGM3-N1	SGM3-L1	26,000
SGM6-N1	SGM6-L1	52,000
SGM10-N1	SGM10-L1	104,000

NATURAL GAS MODEL	PROPANE MODEL	BTU
SG3-N	---	30,000
---	SG3-L	32,000
SG4-N	---	40,000
SG6-N	---	60,000
---	SG6-L	65,000
SG8-N	---	80,000
SG10-N	SG10-L	100,000
SG12-N	---	120,000
---	SG13-L	130,000
SG14-N	---	140,000
SG15-N	---	155,000



NATURAL GAS MODEL	PROPANE MODEL	BTU
SIR25-15-N	SIR25-15-L	25,000
SIR35-15-N	SIR35-15-L	35,000
SIR45-15-N	SIR45-15-L	45,000

MODEL	ACCESSORIES COMPATIBLE W/ABOVE MODELS
30348020	Line Voltage Thermostat
43240020	Night Setback Thermostat
41690350	Hanging Kit: 35 ft. chain w. 12 S-hooks

SUNSTAR INFRARED TUBE HEATERS



Pull Through: Combustion products are pulled through the combustion chamber for increased efficiency and safety.



STRAIGHT TUBE	BTU	EMITTER TUBE LENGTH
SIS50	50,000	15 ft, 20 ft, 30 ft
SIS75	75,000	20 ft, 30 ft
SIS100	100,000	30 ft, 40 ft
SIS125	125,000	30 ft, 40 ft, 50 ft
SIS150	150,000	40 ft, 50 ft
SIS175	175,000	40 ft, 50 ft

U-TUBE	BTU	EMITTER TUBE LENGTH
SIU50	50,000	15 ft, 20 ft, 30 ft
SIU75	75,000	20 ft, 30 ft
SIU100	100,000	30 ft, 40 ft
SIU125	125,000	30 ft, 40 ft, 50 ft
SIU150	150,000	40 ft, 50 ft
SIU175	175,000	40 ft, 50 ft

■ = STOCKED

OUTDOOR LIVING

SINGLE BURNER OUTDOOR PATIO STOVE

- 16" x 16" large cooking surface
- 13.25" tall welded steel frame
- 6" cast iron fry burner
- 36" stainless braided hose
- 10 PSI adjustable regulator



TANK FOOT STABILIZER

TF-01

Durable, rugged and flexible. High impact UV resistant plastic ring prevents cylinder from toppling.



MODEL	DESCRIPTION
1114	Stainless Steel

BANJO COOKER WITH HOSE GUARD

KAB4

- 16" large cooking surface
- 12.5" tall welded steel frame
- 10" cast iron burner
- 48" LPG stainless braided hose
- 0-30 PSI adjustable regulator



HIGH PRESSURE COOKER

SP10

- 14" diameter cooking surface
- 12.5" tall welded steel frame
- 48" stainless braided hose
- 10 PSI regulator with brass control valve
- 360° windscreen protection
- Wide leg design for stability



SPORTSMAN'S CHOICE COOKER

B-135

- 14" diameter cooking surface
- 21" tall welded steel frame
- 10 qt. aluminum fry pot/basket
- 36" stainless braided hose
- 10 psi adjustable regulator
- 360° windscreen protection



TURKEY FRYER KIT

1118



- 32 qt stockpot with lid 12"D x 16.25H
- Perforated steam/boil basket
- Perforated poultry rack and lift hook
- 12" thermometer 50°F-750°F
- 3 piece detachable skewer set
- 1 oz. seasoning injector

■ = STOCKED

RESTAURANT QUALITY ALUMINUM COOKWARE

All sizes feature easy to hold oversize handles, lid and straining basket! Heavy duty, restaurant quality aluminum.



PART NO.	SIZE	DEPTH	HEIGHT	GAUGE
AP-60	60 qt.	17"	18"	2 mm
AP-80	80 qt.	19.625"	15.75"	2 mm
AP-100	100 qt.	19.625"	15.75"	2.5 mm

Replacement baskets available
Please call with stockpot dimensions

BAYOU CLASSIC COOKERS ACCESSORIES



BG10

- High pressure cast iron burner
- 4" diameter x 9" length
- Air control disc
- For round Bayou Classic Cookers



BG12

- High pressure cast iron fry burner
- 6" diameter x 11" length
- Air control disc
- For square Bayou Classic Cookers



M5HPR

- 36" stainless braided hose
- 0-10 PSI adjustable regulator
- 1/4" male orifice connector
- Clam shell pack
- For BG10 and BG12 burners



M5HPR-1

- 48" stainless braided hose
- 10 PSI adjustable regulator
- Brass control valve
- 3/8" flare swivel fitting
- Clam shell pack
- For BG10 single burners and double jet cookers

LIGHTERS & FIRE STARTERS



GAS IGNITOR

GM-4

- Piezo electric ignition
- Refillable butane
- Battery included

LIGHTER

GM-3

- Long continuous spark
- Refillable butane
- Battery included



HANDILITE MSCP-HANDILITE

with magnet

Ideal for lighting grills, fireplaces and campfires.

- Extends 2'
- Folds to 6"
- Pocket clip included



GAS IGNITOR CONTINUOUS IGNITION

GM-3X

- Refillable butane
- Battery included
- 15" flexible nozzle bends into any shape
- Never blows out

■ = STOCKED



GRILL ACCESSORIES

GOURMET SEASONING INJECTOR

MSCP-MSS-INJ
Stainless Steel

Inject turkey, chicken, brisket, roast and pork with liquid marinades and spice mixes to enhance flavor.

- Two 6" stainless steel needles, one for liquid marinade and one for minced garlic and onion
- Injector capacity 2 oz.
- Dishwasher safe



RONSON MULTI-FILL BUTANE

REFILL 2.75 OZ.

- Packed 12 units



FLAVOR SMOKING CHIPS



PART NO.	DESCRIPTION
28066	Cherry
28067	Maple
80695	Orange
80701	Peach

AROMATIC SMOKING CHIPS



PART NO.	DESCRIPTION
78074	Mesquite
78075	Hickory

COOKING CHUNKS



PART NO.	DESCRIPTION
78054	Mesquite 10 lbs.
78055	Hickory 10 lbs.
80824	Orange 8 lbs.



REUSABLE SMOKER TRAY

38074

- Case includes pack of 48
- Convenience of a smoker on a gas grill
- Comes pre-loaded with wood chips ready to smoke.

■ = STOCKED

GRILL REPLACEMENT PARTS



LOW PRESSURE SINGLE STAGE LP REGULATORS

230-GR800

- Single stage regulator with drip lip vent
- 3/8" outlet



HIGH PRESSURE LP REGULATOR

350-00

- Inlet: 1/4" FPI
- Outlet: 1/4" FPI
- 0-15 PSI adjustable

REPLACEMENT 24" AND 36" POL HOSE AND REGULATOR



PART NO.	LENGTH
150-I5LTC24GRQC	24"
150-I5LTC36GRQC	36"

POL ADAPTER

ME393HD Heavy-duty Forging

Allows quick connection from QCC fill adapter to a male POL fill connector.



- Convenient hex for secure connection to QCC fill device
- Easy to grip large diameter hardwheel
- Quick and easy to install
- 1-5/16" M ACME x SN swivel POL connection



HIGH PRESSURE LP REGULATOR

130-GR610B

- 10PSI
- Single stage
- 1/4" FNT x 1/4" FPI

ACME ADAPTERS



ME399

- 1-5/16" M ACME adapter x F.POL x 1/4" MNPT adapter with quick closing shutoff poppet



ME393-1

- 1-5/16" M ACME x 1/4" FNPT adapter

■ = STOCKED

GRILL REPLACEMENT PARTS

UL LISTED PIGTAILS

40408 SERIES

- 1/4" inverted flare x Type 1 ACME
- 1/4" ID high pressure assemblies
- Other lengths available

PART NO.	LENGTH
40408-15	15"
40408-20	29"



40409 SERIES

- 1/4" MNPT x Type 1 ACME
- Other lengths available

PART NO.	LENGTH
40409-15	15"



40402 SERIES

- 1/4" inverted flare x soft nose
- Handwheel excess flow POL

PART NO.	LENGTH
40402-24	24"



REPLACEMENT GRILL HOSE

- 3/8" hose
- 3/8" MPT x 3/8" FEFL fittings

PART NO.	LENGTH
42610-24	24"



CAMPING APPLIANCE HOSES

- Adapter hose
- Soft nose handwheel
- POL X 1" 20 male swivel fitting



PART NO.	LENGTH
40407-48	48"
40407-60	60"
40407-144	144"

12 FT. NATURAL GAS QUICK DISCONNECT HOSE AND ASSEMBLY

556#1793


- Quick disconnect couplers



PROPANE HOSE SAFETY GUARD

B90P

- Protects hose from squirrels



 = STOCKED

GRILL PARTS

OUTLET BOXES

- Universal 1-5/16" M Acme/F. POL outlet connection
- Universal 1/2" FNPT inlet connection
- Universal mounting hinge
- For use with 0-250 PSI inlet pressure
- Weather resistant high density polyethylene case

COLOR	SINGLE OUTLET	DUAL OUTLET
Ivory	ME951IVY	ME952IVY
Black	ME951BLK	ME952BLK
Gray	ME951GRY	ME952GRY



HOSES FOR OUTLET BOX (not pictured)

- Rubber hose, 1/4" ID
- 3/8" female flare x 1-5/16" male ACME

PART NO.	LENGTH
I4C60FS6QC	5'
I4C120FS6QC	12'

STEEL GAS OUTLET BOX NG-OUTLET-1

- Quick disconnect
 - Permanently mounted
 - Accessory hose **556#1793**
- Also available in white plastic housing: **NG-OUTLET-2**



GAS GRILL "QUICK CONNECT" MALE PLUG ONLY

F276328

- 1/4" male pipe x male plug



FILL ADAPTER FOR GAS MATE II AND QUICK DISCONNECT VALVE

F276329



QUICK CONNECTORS

PART NO.	SIZE
F276186	1/4"M x 1/4"F
F276187	3/8"M x 3/8"F



PLUG, DECAL & CHAIN

737-5

- Packed 100s



TYPE I DUST CAP DC-QCC1



TYPE 1 REGULATOR CONNECTOR

COLOR	PART NO.	BTU
Black	G-1851-AO2	0-70,000
Green	G-1851-AO3	71,000-200,000 BTU high flow

 = STOCKED

RED DRAGON PATIO LIGHTS

Great for Decks, Pools and Patios

Patio Lights provide a soft, golden glow to enhance any outdoor activity. No oil mess and smell or fragile mantels. Portable Patio Lights assemble in minutes. Simply attach a 20 lb. propane cylinder (not included) and enjoy hours of natural, open flame outdoor lighting.



GASLIGHT

PART NO.	DESCRIPTION
PT300-6C	Portable Units
PT300-6PM	Fixed Units (permanent mount only)



CURLED FINGER

PART NO.	DESCRIPTION
PT301-6PM	Fixed Units (permanent mount only)



FIN

PART NO.	DESCRIPTION
PT302-6PM	Fixed Units (permanent mount only)



CONE

PART NO.	DESCRIPTION
PT311-6C	Portable Units
PT311-6PM	Fixed Units (permanent mount only)




CAROL ROSE OUTDOOR FIREPLACE

See the whole Carol Rose line at americanhearth.com/products/outdoor/

FIREBOX
OP-36-FB2MF

PATIO HEATER

- ◆ Infrared patio heater provides radiant warmth in a 360 degree circle with a 20 foot diameter.
- ◆ No electricity required.
- ◆ Portable wheel kit included.
- ◆ 4 cup holders in base.
- ◆ Sleek design available in stainless steel.
- ◆ Professional performance. Provides a powerful 40,000 BTU/hr.
- ◆ UL listed and safety certified. Includes a flame failure safety device and weighted base as standard.
- ◆ Accepts a standard 20 lb. cylinder
- ◆ Convenient, matchless piezo ignition system.



PHS40-L6

■ = STOCKED

CAST IRON STOVES



VENT-FREE CAST IRON STOVE WITH CONTOUR BURNER

MODEL	PROPANE	NATURAL GAS	FINISH	CONTROL TYPE
VFD30CC30F	✓	✓	Matte Black	Millivolt
VFD30CC30W	✓	✓	Pewter	Millivolt
VFD30CC30B	✓		Porcelain Black	Millivolt
VFD30CC30M	✓		Porcelain Mahogany	Millivolt
VFD30CC30S	✓	✓	Porcelain Sand	Millivolt
VFD30CC70F	✓	✓	Matte Black	Intermittent Pilot
VFD30CC70W	✓	✓	Pewter	Intermittent Pilot
VFD30CC70B	✓	✓	Porcelain Black	Intermittent Pilot
VFD30CC70M	✓	✓	Porcelain Mahogany	Intermittent Pilot
VFD30CC70S	✓	✓	Porcelain Sand	Intermittent Pilot

All have On/Off Switch, weigh 205 lb, and are 25,000 BTU. Includes 6-piece log set.

DIRECT VENT CAST IRON STOVE WITH SLOPE GLAZE BURNER

MODEL	PROPANE	NATURAL GAS	FINISH	CONTROL TYPE
DVP30CC30F	✓	✓	Matte Black	Millivolt
DVP30CC30W	✓	✓	Pewter	Millivolt
DVP30CC30B	✓	✓	Porcelain Black	Millivolt
DVP30CC30M	✓	✓	Porcelain Mahogany	Millivolt
DVP30CC30S	✓	✓	Porcelain Sand	Millivolt
DVP30CC70F	✓	✓	Matte Black	Intermittent Pilot
DVP30CC70W	✓	✓	Pewter	Intermittent Pilot
DVP30CC70B	✓	✓	Porcelain Black	Intermittent Pilot

All have On/Off Switch, weigh 240 lb, and are 26,500 BTU
Includes 4-piece log set. Stoves include Matte Black Barrier Screen.

■ = STOCKED

Pricing is on Price List insert.

CAST IRON STOVES

STOVE SHELF KIT FOR VENT-FREE AND DIRECT-VENT

MODEL	DESCRIPTION
CSKF	Matte Black
CSKW	Matte Pewter
CSKB	Porcelain Black
CSKM	Porcelain Mahogany
CSKS	Porcelain Sand

CONTROL OPTIONS FOR VENT-FREE AND DIRECT-VENT (MV & IP)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote

CONVERSION KITS FOR DIRECT-VENT

MODEL	DESCRIPTION	CONTROL TYPE
EMP31057	Propane to Natural	Millivolt
EMP31058	Natural to Propane	Millivolt

FLOOR PAD KITS

MODEL	MATERIAL	COLOR
CIFPB1	Traditional Base for Stone Inlays	36.5" x 30.8" x 0.875"
CIFPB1C	Corner Base Kit for Stone Inlays	36.5" x 30.8" x 0.875"

BASE STONE INLAY KITS - CORNER

MODEL	MATERIAL	COLOR
CIFS10MC	Ceramic Tile	Patina Mocha
CIFS11GC	Marble	Temple Gray
CIFS12AC	Marble	American Beauty
CIFS9AC	Granite	Adobe Frost

Requires Floor Pad Kit CIFPB1C

VARIABLE REMOTE KITS FOR VENT-FREE AND DIRECT-VENT (IP ONLY)

MODEL	DESCRIPTION	CONTROL TYPE
RVKN	Variable Flame Height Remote Kit	Natural Gas
RVKP	Variable Flame Height Remote Kit	Propane
RCK30	Replacement Control Cover	

ACCESSORIES FOR VENT-FREE AND DIRECT-VENT

MODEL	DESCRIPTION
CIB3	Automatic Variable Blower, 120 VAC
GF-24	Flex Gas Line 24 in. Stainless Steel, Single

LINER FOR DIRECT-VENT

MODEL	DESCRIPTION
DVP30CCKR	Black Reflective

BARRIER SCREEN FOR PRE-2015 STOVES ONLY

MODEL	DESCRIPTION
DFB30CCBL	Medium Cast Iron

Current Stoves Include Barrier Screen

BASE STONE INLAY KITS - TRADITIONAL

MODEL	MATERIAL	COLOR
CIFS10M	Ceramic Tile	Patina Mocha
CIFS11G	Marble	Temple Gray
CIFS12A	Marble	American Beauty
CIFS9A	Granite	Adobe Frost

Requires Floor Pad Kit CIFPB1

TOP STOVE STONE INLAY KITS

MODEL	MATERIAL	COLOR
CSI10M	Ceramic Tile	Patina Mocha
CSI11G	Marble	Temple Gray
CSI12A	Marble	American Beauty
CSI8V	Granite	Venetian Gold
CSI9A	Granite	Adobe Frost

Replaces Cast Iron Grids (VFD30CC & DVP30CC Only)

■ = STOCKED

Pricing is on Price List insert.

LOGS & BURNERS



FLINT HILL CERAMIC FIBER (includes contour burner) GAS LOG SET

MILLIVOLT (VENT-FREE/VENTED)

MODEL	FUEL	SIZE	PIECES	BTU
VFDR-18LB10P	Propane	18"	5	10,000
VFDR-18LB10N	Nat Gas	18"	5	10,000
VFDR-18LBP	Propane	18"	5	28,000
VFDR-18LBN	Nat Gas	18"	5	28,000
VFDR-24LBP	Propane	24"	5	34,000
VFDR-24LBN	Nat Gas	24"	5	34,000
VFDR-30LBP	Propane	30"	6	40,000
VFDR-30LBN	Nat Gas	30"	6	40,000

Comes with an On/Off Switch

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote
TDV1	Wall Thermostat

For more remotes see p. 79

MANUAL CONTROL (VENT-FREE/VENTED)

MODEL	FUEL	SIZE	PIECES	BTU
VFDM-18LBP	P	18"	5	28k
VFDM-18LBN	NG	18"	5	28k
VFDM-24LBP	P	24"	5	34k
VFDM-24LBN	NG	24"	5	34k
VFDM-30LBP	P	30"	6	40k
VFDM-30LBN	NG	30"	6	40k

Comes with a 3 Position Knob (Hi-Med-Low)

ACCESSORIES


MODEL	ACCESSORIES
EK-1	Ember Bed
EK-2	Adjustable Hood Black
GF-24	Flex Gas Line, 24-in. SS
PE-20-12	Platinum Embers (12 pack)

Pricing is on Price List insert.

HI/LOW KNOB THERMOSTAT (VENT-FREE)

MODEL	FUEL	SIZE	PIECES	BTU
VFDT-18LBP	P	18"	5	28k
VFDT-18LBN	NG	18"	5	28k
VFDT-24LBP	P	24"	5	34k
VFDT-24LBN	NG	24"	5	34k
VFDT-30LBP	P	30"	6	40k
VFDT-30LBN	NG	30"	6	40k

= STOCKED



WHISKEY RIVER REFRACTORY GAS LOG SET

(includes contour burner)

MILLIVOLT (VENT-FREE/VENTED)

MODEL	FUEL	SIZE	PIECES	BTU
VFDR-18LBW10P	Propane	18"	7	10,000
VFDR-18LBW10N	Nat Gas	18"	7	10,000
VFDR-18LBWP	Propane	18"	7	28,000
VFDR-18LBWN	Nat Gas	18"	7	28,000
VFDR-24LBWP	Propane	24"	7	34,000
VFDR-24LBWN	Nat Gas	24"	7	34,000
VFDR-30LBWP	Propane	30"	7	40,000
VFDR-30LBWN	Nat Gas	30"	7	40,000

Comes with an On/Off Switch

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat- Reed Switch
TRW	Wall Thermostat, Wireless Remote
TDV1	Wall Thermostat

For more remotes see p. 79

HI/LOW KNOB THERMOSTAT (VENT-FREE)

MODEL	FUEL	SIZE	PIECES	BTU
VFDT-18LBWP	Propane	18"	7	28,000
VFDT-18LBWN	Nat Gas	18"	7	28,000
VFDT-24LBWP	Propane	24"	7	34,000
VFDT-24LBWN	Nat Gas	24"	7	34,000
VFDT-30LBWP	Propane	30"	7	40,000
VFDT-30LBWN	Nat Gas	30"	7	40,000

Pricing is on Price List insert.

ACCESSORIES

MODEL	ACCESSORIES
EK-1	Ember Log Kit
EK-2	Adjustable Hood Black
GF-24	Flex Gas Line, 24-in. SS
PE-20-12	Platinum Embers (12 pack)

■ = STOCKED



REFRACTORY LOG SETS

Single-sided

STACKED AGED OAK

MODEL	SIZE	PIECES	WEIGHT
LS-18SRAO	18"	8	29 lb
LS-24SRAO	24"	8	35 lb
LS-30SRAO	30"	8	40 lb

(Burners Sold Separately)
Requires Slope Glaze Burner, see p. 35



SASSAFRAS

MODEL	SIZE	PIECES	WEIGHT
LS-18RS	18"	6	37 lb
LS-24RS	24"	6	40 lb
LS-30RS	30"	6	50 lb

(Burners Sold Separately)
Requires Slope Glaze Burner, see p. 35



SUPER SASSAFRAS

MODEL	SIZE	PIECES	WEIGHT
LS-18RSS	18"	7	52 lb
LS-24RSS	24"	7	56 lb
LS-30RSS	30"	7	66 lb

(Burners Sold Separately)
Requires Slope Glaze Burner, see p. 35



PONDEROSA

MODEL	SIZE	PIECES	WEIGHT
LS-18P	18"	13	47 lb
LS-24P	24"	13	51 lb
LS-30P	30"	13	64 lb

(Burners Sold Separately)
Requires Slope Glaze Burner, see p. 35



Multi-sided



ROCK CREEK

MODEL	SIZE	PIECES	WEIGHT
LSU18RR	18"	9	48 lb
LSU24RR	24"	11	58 lb
LSU30RR	30"	11	66 lb

(Burners Sold Separately)
Requires Slope Glaze Vista Burner, see p. 34

Pricing is on Price List insert.

 = STOCKED



CERAMIC FIBER LOG SETS

Single-sided

BIRCH

MODEL	SIZE	PIECES	WEIGHT
LS-18B2	18"	4	7 lb
LS-24B2	24"	4	10 lb
LS-30B2	30"	4	10 lb

(Burners Sold Separately)

Requires Slope Glaze Burner, see p. 35



CHARRED OAK

MODEL	SIZE	PIECES	WEIGHT
LS-16C	16"	4	4 lb
LS-18C2	18"	4	6 lb
LS-24C2	24"	4	9 lb
LS-30C2	30"	4	9 lb

(Burners Sold Separately)

Requires Slope Glaze Burner, see p. 35



SUPER CHARRED OAK

MODEL	SIZE	PIECES	WEIGHT
LS-18C2S	18"	6	7 lb
LS-24C2S	24"	6	13 lb
LS-30C2S	30"	6	13 lb

(Burners Sold Separately)

Requires Slope Glaze Burner, see p. 35



Multi-sided

STONE RIVER - CERAMIC FIBER

MODEL	SIZE	PIECES	WEIGHT
LSU18SF	18"	5	6 lb
LSU24SF	24"	5	9 lb
LSU30SF	30"	5	10 lb

(Burners Sold Separately)

Requires Slope Glaze Burner, see p. 35



Pricing is on Price List insert.

■ = STOCKED



SLOPE GLAZE VISTA BURNERS

(pair with the Rock Creek on p. 32 or Stone River Log Set on p. 33)

MILLIVOLT (VENT FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFSUR18P	Propane	18"	36,000
VFSUR18N	Nat Gas	18"	36,000
VFSUR24P	Propane	24"	38,000
VFSUR24N	Nat Gas	24"	38,000
VFSUR30P	Propane	30"	40,000
VFSUR30N	Nat Gas	30"	40,000

Comes with an On/Off Switch

INTERMITTENT PILOT (VENT FREE)

MODEL	FUEL	SIZE	BTU
VFSUE18P	Propane	18"	36,000
VFSUE18N	Nat Gas	18"	36,000
VFSUE24P	Propane	24"	38,000
VFSUE24N	Nat Gas	24"	38,000
VFSUE30P	Propane	30"	40,000
VFSUE30N	Nat Gas	30"	40,000

Comes with a Thermostat Variable Remote Control

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall T'stat- Reed Switch
TRW	Wall T'stat- Wireless Remote
TDV1	Wall Thermostat

For more remotes see p. 79

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Log Kit
EK-2	Ember Kit, Super
PE-20-12	Platinum Embers (12 pack)

Pricing is on Price List insert.

 = STOCKED



SLOPE GLAZE BURNERS

(requires log set, see p. 31 & 32)

INTERMITTENT PILOT (VENT FREE)

MODEL	FUEL	SIZE	BTU
VFSE-18-LP	Propane	18"	32,000
VFSE-18-N	Nat Gas	18"	32,000
VFSE-24-LP	Propane	24"	36,000
VFSE-24-N	Nat Gas	24"	36,000
VFSE-30-LP	Propane	30"	38,000
VFSE-30-N	Nat Gas	30"	38,000

Comes with a Variable Remote

VARIABLE FLAME HEIGHT CONTROL (VENT FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFSV-16-LP	Propane	16"	25,000
VFSV-16-N	Nat Gas	16"	25,000
VFSV-18-LP	Propane	18"	32,000
VFSV-18-N	Nat Gas	18"	32,000
VFSV-24-LP	Propane	24"	36,000
VFSV-24-N	Nat Gas	24"	36,000
VFSV-30-LP	Propane	30"	38,000
VFSV-30-N	Nat Gas	30"	38,000

Comes with an On/Off Switch

ACCESSORIES

MODEL	DESCRIPTION
AD-110-6V	AC/DC Adaptor (VFSE Burners)
DCG-24-BL	Decorative Grate, Black
EK-1	Ember Log Kit
PE-20-12	Platinum Embers (12 pack)
ELH-1	Adjustable Hood, Black, 28-48 in.
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
LR-18	2 in. Riser for 18" Slope Glaze Burner
LR-24	2 in. Riser for 24" Slope Glaze Burner
LR-30	2 in. Riser for 30" Slope Glaze Burner

Pricing is on Price List insert.

MILLIVOLT (VENT FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFSR-16-LP	Propane	16"	25,000
VFSR-16-N	Nat Gas	16"	25,000
VFSR-18-LP	Propane	18"	32,000
VFSR-18-N	Nat Gas	18"	32,000
VFSR-24-LP	Propane	24"	36,000
VFSR-24-N	Nat Gas	24"	36,000
VFSR-30-LP	Propane	30"	38,000
VFSR-30-N	Nat Gas	30"	38,000

Comes with an On/Off Switch

MANUAL CONTROL (VENT FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFSM-18-LP	Propane	18"	32,000
VFSM-18-N	Nat Gas	18"	32,000
VFSM-24-LP	Propane	24"	36,000
VFSM-24-N	Nat Gas	24"	36,000
VFSM-30-LP	Propane	30"	38,000
VFSM-30-N	Nat Gas	30"	38,000

Comes with a 3 Position Knob (Hi-Med-Low)

MILLIVOLT CONTROL OPTIONS


MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat, Wireless Remote
TDV1	Wall Thermostat

For more remotes see p. 79

INTERMITTENT PILOT (ACCESSORY)

MODEL	DESCRIPTION
FRIP	Remote Control Transmitter (Required for VF IP Burner in Vented App. Location.)

■ = STOCKED



VENT-FREE KENNESAW LOG BURNER

MILLIVOLT CONTROL (VENT-FREE)

MODEL	FUEL	SIZE	BTU
HVFR18P	Propane	18"	27,000
HVFR18N	Nat Gas	18"	27,000
HVFR24P	Propane	24"	39,000
HVFR24N	Nat Gas	24"	39,000



MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall T'stat- Reed Switch
TRW	Wall T'stat- Wireless Remote
TDV1	Wall Thermostat

For more remotes see p. 79

ACCESSORIES

MODEL	DESCRIPTION
ELH-1	Adjustable Hood, Black, 28-48 in.
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single

REFRACTORY LOG SET (SINGLE-SIDED)

MODEL	SIZE	PIECES	WEIGHT
HLS-18R1	18"	7	38 lb
HLS-24R1	24"	9	44 lb

(Burners Sold Separately)

■ = STOCKED



LOFT SERIES BURNER

Single-sided

MILLIVOLT CONTROL (VENT-FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFRL-24-LP	Propane	24"	36,000
VFRL-24-N	Nat Gas		
VFRL-30-LP	Propane	30"	40,000
VFRL-30-N	Nat Gas		

Comes with an On/Off Switch

black reflective



stainless steel

LINERS

MODEL	FINISH	SIZE	LENGTH
VBP-32-SKR	Black Reflective	32"	Short
VBP-36-SKR	Black Reflective	36"	Short
VBP-36-SSS	Stainless Steel	36"	Short
VBP-42-SKR	Black Reflective	42"	Short
VBP-42-SS	Stainless Steel	42"	Short

INTERMITTENT PILOT (VENT-FREE/VENTED)

MODEL	FUEL	SIZE	BTU
VFIL-18-LP	Propane	18"	26,000
VFIL-18-N	Nat Gas		
VFIL-24-LP	Propane	24"	36,000
VFIL-24-N	Nat Gas		
VFIL-30-LP	Propane	30"	40,000
VFIL-30-N	Nat Gas		

Comes with a Thermostat Variable Remote Control

DECORATIVE TOPS

MODEL	FINISH	SIZE
DT-24-PB	Polished Black	24"
DT-30-PB	Polished Black	30"
DT-18-SS	Stainless Steel	18"
DT-30-SS	Stainless Steel	30"

Single & Multi Sided Accessories

MILLIVOLT CONTROL OPTIONS

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall T'stat- Reed Switch
TRW	Wall T'stat- Wireless Remote

For more remotes see p. 79

MILLIVOLT & INTERMITTENT CONTROL (VENT-FREE)

MODEL	FUEL	SIZE	BTU
VFRU-24-LP*	Propane	24"	36,000
VFRU-24-N*	Nat Gas	24"	36,000

*Comes with an On/Off Switch

Multi Sided Accessories

MODEL	ACCESSORIES
ELH-1	Adjustable Hood, Black 28-48 in.
GF-24	Flex Gas Line 24 in. Stainless Steel, Single
AD-110-6V	AC/DC Adapter (IP Only)

■ = STOCKED



LOFT SERIES ACCESSORIES

LOGS & BURNERS

*Black Polished
Crushed Glass*




DG-1-BK

*Clear Frosted
Crushed Glass*



DG-1-BUC

*Blue Clear
Crushed Glass*



DG-1-CLF

Onyx Glass Drops



DG-1-NXS

Topaz Glass Drops



DG-1-TZC

Ceramic Fiber Rock Assortment



DR1FMA

Rock Pebble Assortment



DRFPA

Single Sided Accessories DECORATIVE GLASS & ROCKS

MODEL	COLOR	TYPE	SIZE
DG-1-BKP*	Black	Polished Crushed Glass	—
DG-1-BUC*	Blue	Clear Crushed Glass	—
DG-1-CLF*	Clear	Frost Crushed Glass	—
DG-1-NXS*	Onyx	Solid Glass Droplets	1"
DG-1-TZC*	Topaz	Clear Glass Droplets	1"
DG-1-AB*	Aqua Blue	Glass Droplets	0.5"
DG-1-GC*	Glacier Ice	Glass Droplets	0.5"
DG-1-SL*	Sangria	Luster Glass Droplets	0.5"
DR1FMA	Assorted	Ceramic Fiber Rock ^(Medium)	—
DRFPA	Assorted	Rock Pebble	—

*Bag yields 1 square foot

■ = STOCKED

FIREBOXES



Pictured Above: Breckenridge Deluxe 32, Cherry Cabinet, Stainless Steel Mission Louvers, Mission Arch Doors, Hood, and Outer Frame

BRECKENRIDGE DELUXE 32 VENT-FREE

FIREBOXES

MODEL	DESCRIPTION	WEIGHT
VFD-32-FB0F	Flush Face	76 lb
VFD-32-FB0L	Louvers	76 lb
VFD-32-FB2MF	Flush Face, Refractory Liner	110 lb
VFD-32-FB2ML	Louvers, Refractory Liner	110 lb

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Bed
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower
VFA-2	Fresh Air Kit

HOOD TYPES

MODEL	STANDARD	EXTENDED
Black	Included	VB4H-32-BL
Pewter	VB2H-32-HP	—

■ = STOCKED




BRECKENRIDGE DELUXE 32

FIREBOXES

LINERS

MODEL	DESCRIPTION
VBP-32-SA	Aged Brick
VBP-32-SE	Banded Brick
VBP-32-SF	Traditional Brick
VBP-32-SG	Stacked Limestone
VBP-32-SKR	Black Reflective, Short





MANTLE FINISHES



FINISH	MODEL	CORNER MODEL
Cherry	EMBF-1S-C	EMBC-1S-C
Dark Oak	EMBF-1S-DO	EMBC-1S-DO
Oak	EMBF-1S-O	EMBC-1S-O
Unfinished Hardwood	EMBF-1S-UH	EMBC-1S-UH
White	EMBF-1S-W	EMBC-1S-W

DECORATIVE LOUVERS

FINISH	MISSION	ARCH	SLAT
Black	DVG1MBL	DVG1ABL	Included
Pewter	DVG1MHP	DVG1AHP	DVL1HP
Stainless Steel	—	—	DVL1SS



DECORATIVE DOORS

FINISH	MISSION ARCH	ARCH
Black	VFR-32-SMBL	VFR-32-SCBL
Pewter	VFR-32-SMHP	VFR-32-SCHP

FRAME

FINISH	ARCH HINGE	OUTER
Black	VFY-32-SBL	VBS-32-SBL

= STOCKED

FIREBOXES



BRECKENRIDGE DELUXE 36 VENT-FREE

FIREBOX

MODEL	DESCRIPTION	WEIGHT
VFD-36-FB0F	Flush Face	96 lb
VFD-36-FB0L	Louvers	96 lb
VFD-36-FB2MF	Flush Face, Refractory Liner	150 lb

HOOD TYPES

MODEL	STANDARD	EXTENDED
Black	Included	VB4H-36-BL
Pewter	VB2H-36-HP	—
Stainless Steel	VB2H-36-SS	—

ACCESSORIES


MODEL	DESCRIPTION
EK-1	Ember Bed
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower
VFA-2	Fresh Air Kit

FRAME

FINISH	ARCH HINGE	OUTER	BOTTOM TRIM (LOUVERED ONLY)
Black	VFY-36-SBL	VBS-36-SBL	—
Pewter	—	—	FBS-36-HP

LINERS

MODEL	DESCRIPTION
VBP-36-SA	Aged Brick
VBP-36-SE	Banded Brick
VBP-36-SF	Traditional Brick
VBP-36-SG	Stacked Limestone
VBP-36-SKR	Black Reflective, Short
VBP-36-SSS	Brushed Stainless Steel, Short



■ = STOCKED

BRECKENRIDGE DELUXE 36 VENT-FREE

FIREBOXES


MANTLE FINISHES



FINISH	MODEL	CORNER MODEL
Cherry	EMBF-3S-C	EMBC-3S-C
Dark Oak	EMBF-3S-DO	EMBC-3S-DO
Oak	EMBF-3S-O	EMBC-3S-O
Unfinished Hardwood	EMBF-3S-UH	EMBC-3S-UH
White	EMBF-3S-W	EMBC-3S-W



Mission Louver



Slat Louver



Arch Louver




Hammered Pewter

DECORATIVE LOUVERS


FINISH	MISSION	ARCH	SLAT
Black	FBG36MBL	FBG36ABL	Included
Pewter	FBG36MHP	FBG36AHP	DVL36HP



Hammered Pewter



Mission Arch Door



Arch Door

DECORATIVE DOORS

FINISH	MISSION ARCH	ARCH
Black	VFR-36-SMBL	VFR-36-SCBL
Pewter	VFR-36-SMHP	VFR-36-SCHP

BRECKENRIDGE DELUXE 42 VENT-FREE

FIREBOXES

MODEL	DESCRIPTION	WEIGHT
VFD-42-FB0F	Flush Face	102 lb
VFD-42-FB0L	Louvers	102 lb
VFD-42-FB2MF	Flush Face, Refractory Liner	160 lb
VFD-42-FB2ML	Louvers, Refractory Liner	160 lb

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Bed
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower
VFA-2	Fresh Air Kit

MANTLE FINISHES


FINISH	MODEL	CORNER MODEL
White	EMBF-4S-W	EMBC-4S-W

HOOD TYPES

MODEL	STANDARD	EXTENDED
Black	Included	VB4H-42-BL

OUTER FRAME

MODEL	FINISH
VBS-42-SBL	Black



aged brick



stacked limestone

brushed stainless steel



LINERS

MODEL	DESCRIPTION
VBP-42-SA	Aged Brick
VBP-42-SG	Stacked Limestone
VBP-42-SS	Brushed Stainless Steel, Short

■ = STOCKED

FIREBOXES



Pictured Above: Breckenridge Premium 36 Firebox with Slope Glaze Burner, Aged Brick Liner, Mission Louvers and Frame with Bottom Trim in Hammered Pewter, Black Door and Door Frames, in an Oak Standard Mantel

BRECKENRIDGE PREMIUM 36 VENT-FREE ALSO AVAILABLE IN 32 IN. AND 42 IN.

FIREBOXES

MODEL	DESCRIPTION	WEIGHT
VFP-36-FB0F	Flush Face	105 lb
VFP-36-FB0L	Louvers	105 lb

HOOD TYPES

MODEL	STANDARD	EXTENDED
Black	Included	VB4H-36-BL

ACCESSORIES

MODEL	DESCRIPTION
EK-1	Ember Bed
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower
VFA-2	Fresh Air Kit
LK-3	Lighting Kit, 120 V, Requires Switch/Dimmer Switch



■ = STOCKED



BRECKENRIDGE PREMIUM 36 VENT-FREE ALSO AVAILABLE IN 32 IN. AND 42 IN.

LINERS

MODEL	DESCRIPTION
VBP-36-D2E	Banded Brick
VBP-36-D2F	Traditional Brick
VBP-36-D2G	Stacked Limestone





FINISH	MISSION	ARCH	SLAT
Black	FBG36MBL	FBG36ABL	Included
Pewter	FBG36MHP	FBG36AHP	DVL36HP
Stainless Steel	—	—	DVL36SS



DECORATIVE DOORS

FINISH	ARCH
Pewter	VBR-36-TCHP



 = STOCKED

FIREBOXES



BRECKENRIDGE SELECT 36 VENT-FREE ALSO AVAILABLE IN 32 IN. AND 42 IN.

FIREBOXES

MODEL	DESCRIPTION	SIZE
VFS-36-FB0F	Flush Face	100 lb

LINERS

MODEL	DESCRIPTION
VBP-36-T2H	Herringbone Brick
VBP-36-T2G	Stacked Limestone

Herringbone brick



stacked limestone

HOOD TYPES

MODEL	STANDARD	EXTENDED
Black	Included	VB4H-36-BL

■ = STOCKED



BRECKENRIDGE PREMIUM 36 VENT-FREE PENINSULA & SEE-THROUGH

FIREBOXES

MODEL	TYPE	LINER TYPE	BANDED
VFP-36-SB2EF	See-Through Flush Face	Ceramic Fiber Brick	Yes

HOOD TYPES


FINISH	STANDARD	EXTENDED	STANDARD FOR PENINSULA END
Black	Included	VB4H-36-BL	Included



Arch Louver



Mission Louver



Slat Louver

ACCESSORIES

MODEL	DESCRIPTION
EK-2	Ember Kit, Super
PE-20-12	Platinum Embers (12 pack)
LK-2	Dimmer Light Kit, 120V
FPK-22	Flush Panel Kit (For Peninsula End Panels)
FPK-36	Flush Panel Kit (In Place of Standard Louvers)
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower

DECORATIVE LOUVERS

FINISH	MISSION	ARCH	SLAT
Black	FBG36MBL	FBG36ABL	Included

■ = STOCKED

FIREPLACES



*Pictured Above:
Shown with optional Blue Bay Log Set*

BOULEVARD FIREPLACE 36 INCHES - LINEAR - CONTEMPORARY - VENT-FREE

MODEL	FUEL	CONTROL TYPE	BTU
VFLB36FP90LP	Propane	Intermittent Pilot with Thermostat Variable Remote Control	35,000
VFLB36FP90LN	Natural Gas	Intermittent Pilot with Thermostat Variable Remote Control	35,000

LINERS

MODEL	DESCRIPTION
VBP36LKR	Black Reflective, 36 in.
VBP36LWR	White Reflective, 36 in.



VF Linear Fireplace, no log set, Black Reflective Liner, Tide Water Hammered Pewter Front

ACCESSORIES

MODEL	DESCRIPTION
LS-38DF	Blue Bay Ceramic Fiber 4-piece Log Set
LK-5	Lighting Kit, 120 V (requires switch or rheostat)

CONTROL OPTIONS - MILLIVOLT ONLY

MODEL	DESCRIPTION
FRBTC-1	Battery Remote, Thermostat
FRBTP	Remote, Programmable
TRW	Wall Thermostat, Wireless Remote


DECORATIVE GLASS & ROCKS

MODEL	DESCRIPTION
DG-1-BKP	Black Polished Crushed Glass
DG-1-BUC	Blue Clear Crushed Glass
DG-1-CLF	Clear Frost Crushed Glass
DG-1-NXS	Onyx Solid, 1 in.
DG-1-TZC	Topaz Clear, 1 in.
DR1FMA	Ceramic Fiber Rock Medium Assortment
DRFPA	Rock Pebble Assortment



black polished crushed glass

DG-1-BKP



blue clear crushed glass

DG-1-BUC




clear frost crushed glass

DG-1-CLF




onyx 1 in. glass drops

DG-1-NXS



topaz 1 in. glass drops

DG-1-TZC



ceramic fiber rock assortment

DR1FMA



rock pebble assortment

DRFPA

■ = STOCKED



Pictured Above: 48-inch Traditional Boulevard with Porcelain White Liner and Blue Bay Log Set

**also available 38-inch*

BOULEVARD FIREPLACE

48 INCHES - LINEAR - CONTEMPORARY - VENT-FREE

MODEL	FUEL	CONTROL TYPE	BTU
VFLL-48-FP30LP	Propane	Millivolt with FRBC-1 Remote	40,000
VFLL-48-FP30LN	Natural Gas	Millivolt with FRBC-1 Remote	40,000
VFLL-48-FP90LP	Propane	Intermittent Pilot with Thermostat Variable Remote Control	40,000
VFLL-48-FP90LN	Natural Gas	Intermittent Pilot with Thermostat Variable Remote Control	40,000

LINERS

MODEL	DESCRIPTION
VBP48LKR	Black Reflective, 48 in.

CONTROL OPTIONS - MILLIVOLT ONLY

MODEL	DESCRIPTION
FRBTC-1	Battery Remote, Thermostat
FRBTP	Remote, Programmable
TRW	Wall Thermostat, Wireless Remote

ACCESSORIES

MODEL	DESCRIPTION
LS-48DF	Blue Bay Ceramic Fiber 4-piece Log Set
LK-5	Lighting Kit, 120 V (requires switch or rheostat)



Blue Bay Log Set - 4 piece driftwood (For VFLL38FP and VFLL48FP only)

■ = STOCKED



BOULEVARD FIREPLACE 48 INCHES - LINEAR - CONTEMPORARY - VENT-FREE



black polished crushed glass

DG-1-BKP



blue clear crushed glass

DG-1-BUC



clear frost crushed glass

DG-1-CLF



onyx 1 in. glass drops

DG-1-NXS



topaz 1 in. glass drops

DG-1-TZC



ceramic fiber rock assortment

DR1FMA



rock pebble assortment

DRFPA

DECORATIVE FRONTS

MODEL	DESCRIPTION
DF-48-4BL	Black Rectangle, 4 in.
DF-48-WBL	Tide Water, Matte Black
DF-48-WHP	Tide Water, Hammered Pewter

DECORATIVE GLASS & ROCKS

MODEL	DESCRIPTION
DG-1-BKP	Black Polished Crushed Glass
DG-1-BUC	Blue Clear Crushed Glass
DG-1-CLF	Clear Frost Crushed Glass
DG-1-NXS	Onyx Solid, 1 in.
DG-1-TZC	Topaz Clear, 1 in.
DR1FMA	Ceramic Fiber Rock Medium Assortment
DRFPA	Rock Pebble Assortment

■ = STOCKED



Pictured Above: Vail 24" Fireplace w/ optional Ceramic Aged Brick Liner, Cherry Mantel, Hammered Pewter Frame, and Bottom Trim



VAIL FIREPLACE 24 INCHES - VENT-FREE WITH SLOPE GLAZE BURNER

MODEL	FUEL	FRAME TYPE	CONTROL TYPE	BTU
VFP24FP30LP	Propane	Black	—	20,000
VFP24FP30L10P	Propane	Black	—	10,000
VFP24FP30L10N	Natural Gas	Black	—	10,000
VFP24FP20LP	Propane	Black	Thermostat with Hi-Low Knob	20,000
VFP24FP20LN	Natural Gas	Black	Thermostat with Hi-Low Knob	20,000

Louvers Included

CONTROL OPTIONS (MILLIVOLT & IP)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall T'stat- Reed Switch
TRW	Wall T'stat- Wireless Remote

For more remotes see p. 79

■ = STOCKED



VAIL FIREPLACE

24 INCHES - VENT-FREE WITH SLOPE GLAZE BURNER

LOUVER KITS, SLAT

MODEL	DESCRIPTION
VPL-24-HP	Hammered Pewter

LINERS

MODEL	DESCRIPTION
EHL-24-1	Traditional Brick
VPP1A-22	Aged Brick

ACCESSORIES

MODEL	DESCRIPTION
PE-20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB6	Single Speed Blower

CABINET FINISHES

FINISH	CABINET (55 LB)	CORNER CABINET (70 LB)
Dark Oak	EMF-22DO	EMC-22DO
Oak	EMF-22O	EMC-22O

■ = STOCKED

FIREPLACES



Pictured Above: Vail 26 Special Edition Fireplace System- Includes Nutmeg Mantel



VAIL FIREPLACE 26 INCHES - FIREPLACE/MANTEL COMBINATION WITH CONTOUR BURNER

PROPANE	FUEL	MANTEL TYPE	CONTROL TYPE
VFD26FM30CP	Propane	Cherry	Millivolt
VFD26FM30CN	Natural Gas	Cherry	Millivolt
VFD26FM30WP	Propane	White	Millivolt
VFD26FM30WN	Natural Gas	White	Millivolt

All 154 lb., 20,000 BTU Millivolt- has On/Off Switch Thermostat- has Hi-Low Knob

LINERS

MODEL	DESCRIPTION
FPP26E	Banded Brick

■ = STOCKED



VAIL FIREPLACE

26 INCHES - FIREPLACE/MANTEL COMBINATION WITH CONTOUR BURNER

FINISHES

FINISH	STANDARD HOOD MODEL	SLAT LOUVERS MODEL	OUTER FRAME MODEL	BOTTOM TRIM MODEL
Pewter	VP2H26HP	VPL26HP	VPF26HP	VPS26H

CONTROL OPTIONS (MILLIVOLT ONLY)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, T'stat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

For more remotes see p. 79

ACCESSORIES

MODEL	DESCRIPTION
PE20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB4	Variable Speed Blower (Requires FBBX)
FBBX	Blower Wire Harness Extension (wire, bracket)
EK-1	Ember Bed Kit

■ = STOCKED

FIREPLACES



Pictured Above: Vail 26 Special Edition Fireplace System- Includes Nutmeg Mantel

VAIL FIREPLACE

26 INCHES - VENT-FREE WITH CONTOUR BURNER

MODEL	FUEL	CONTROL TYPE	BTU
VFD26FP30LP	Propane	Millivolt	20,000
VFD26FP30LN	Natural Gas	Millivolt	20,000
VFD26FP30L10P	Propane	Millivolt	10,000
VFD26FP30L10N	Natural Gas	Millivolt	10,000
VFD26FP20LP	Propane	Thermostat	20,000
VFD26FP20LN	Natural Gas	Thermostat	20,000
VFD26FP70LP	Natural Gas	Thermostat	20,000
VFD26FP70LN	Natural Gas	Thermostat	20,000

All 66 lb. Millivolt- has On/Off Switch Thermostat- has Hi-Low Knob Intermittent pilot- has On/Off Switch, includes AC/DC power adaptor w. battery backup

CABINET FINISHES

FINISH	CABINET (55 LB)	CORNER CABINET (70 LB)
Cherry	EMBF-11-SC	EMBC-11S-C
Dark Oak	EMBF-11S-DO	EMBC-11S-DO
Oak	EMBF-11S-O	EMBC-11S-O

■ = STOCKED



VAIL FIREPLACE

26 INCHES - VENT-FREE WITH CONTOUR BURNER

LINERS

MODEL	DESCRIPTION
FPP26E	Banded Brick

FINISHES

FINISH	STANDARD HOOD	SLAT LOUVERS	OUTER FRAME	BOTTOM TRIM
Pewter	VP2H26HP	VPL26HP	VPF26HP	VPS26H

CONTROL OPTIONS (MILLIVOLT & INTERMITTENT PILOT)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

For more remotes see p. 79

ACCESSORIES

MODEL	DESCRIPTION
PE-20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB4	Variable Speed Blower (Requires FBBX)
FBBX	Blower Wire Harness Extension (wire, bracket)
EK-1	Ember Bed Kit

■ = STOCKED



VAIL PREMIUM FIREPLACE

32 INCHES - VENT-FREE - LOG SET REQUIRED

MODEL	FUEL	DESCRIPTION
VFPA32BP30L-LP	Propane	Millivolt
VFPA32BP30LN	Natural Gas	Millivolt
VFPA32BP31L-LP	Propane	Millivolt, Blower
VFPA32BP31LN	Natural Gas	Millivolt, Blower

All 96 lb., 32,000 BTU Millivolt- has On/Off Switch Thermostat- has Hi-Low Knob Intermittent Pilot- has On/Off Switch, includes AC/DC power adaptor w. battery backup

LOG SET (REQUIRED)

MODEL	DESCRIPTION
LS-24EF	Ceramic Fiber Fireplace Log Set, 5-piece, 24 in (9 lb)
LS-24RS	Sassafrass Refractory Log Set, 6-piece, 24 in (40 lb)

■ = STOCKED



VAIL PREMIUM FIREPLACE

32 INCHES - VENT-FREE - LOG SET REQUIRED

CABINET FINISHES

FINISH	CABINET (144 LB)	CORNER CABINET (122 LB)
Cherry	EMBF-1S-C	EMBC-1S-C
Dark Oak	EMBF-1S-DO	EMBC-1S-DO
Oak	EMBF-1S-O	EMBC-1S-O
Unfinished Hardwood	EMBF-1S-UH	EMBC-1S-UH

DOORS

FINISH	MISSION ARCH	ARCH
Black	VFR-32-SMBL	VFR-32-SCBL
Pewter	VFR-32-SMHP	VFR-32-SCHP

LOUVERS

FINISH	MISSION	ARCH	SLAT
Black	DVG1MBL	DVG1ABL	Included
Pewter	DVG1MHP	DVG1AHP	DVL1HP

HOODS

FINISH	STANDARD	ARCH HINGE DOOR FRAME	OUTER FRAME	BOTTOM TRIM
Black	Included	VFY-32-SBL	Included	Not Required
Pewter	—	—	—	FBS-1-HP

■ = STOCKED



VAIL PREMIUM FIREPLACE 32 INCHES - VENT-FREE - LOG SET REQUIRED

LINERS

MODEL	DESCRIPTION
VPP-32-G	Stacked Limestone

ACCESSORIES

MODEL	DESCRIPTION
PE-20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
EK-1	Ember Bed Kit

CONTROL OPTIONS (MILLIVOLT ONLY)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FSW1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

CONTROL OPTIONS (INTERMITTENT PILOT)

MODEL	DESCRIPTION
RVKN	Variable Flame Height, Natural
RVKP	Variable Flame Height, LP

■ = STOCKED



VAIL PREMIUM FIREPLACE

36 INCHES - VENT-FREE - LOG SET REQUIRED

MODEL	FUEL	DESCRIPTION
VFPA36BP30L-LP	Propane	Millivolt
VFPA36BP30LN	Natural Gas	Millivolt
VFPA36BP31L-LP	Propane	Millivolt, Blower
VFPA36BP31LN	Natural Gas	Millivolt, Blower
VFPA36BP70L-LP	Propane	Intermittent Pilot
VFPA36BP70LN	Natural Gas	Intermittent Pilot

All are <= 111 lb., 36,000 BTU Millivolt- has On/Off Switch Thermostat- has Hi-Low Knob Intermittent pilot- has On/Off Switch, includes AC/DC power adaptor w. battery backup

LOG SET (REQUIRED)

MODEL	DESCRIPTION	# OF PIECES	WIDTH	WEIGHT
LS-30EF	Ceramic Fiber Fireplace	5	30 in.	9 lbs.
LS-30RS	Sassafrass Refractory	6	30 in.	50 lbs.

DOORS

FINISH	MISSION ARCH	ARCH
Black	VFR-36-SMBL	VFR-36-SCBL
Pewter	VFR-36-SMHP	VFR-36-SCHP

■ = STOCKED



VAIL PREMIUM FIREPLACE

36 INCHES - VENT-FREE - LOG SET REQUIRED

CABINET FINISHES

FINISH	CABINET (164 LB)	CORNER CABINET (134 LB)
Cherry	EMBF-3S-C	EMBC-3S-C
Dark Oak	EMBF-3S-DO	EMBC-3S-DO
Oak	EMBF-3S-O	EMBC-3S-O

LOUVERS

FINISH	MISSION LOUVER	ARCH LOUVER	SLAT LOUVER
Black	FBG36MBL	FBG36ABL	Included
Pewter	FBG36MHP	—	—

FINISHES

FINISH	STANDARD HOOD	ARCH HINGE DOOR FRAME	OUTER FRAME
Black	Included	VFY-36-SBL	Included
Pewter	VF2H-36-HP	—	DVF36HP
Stainless Steel	VF2H-36-SS	—	—

ACCESSORIES

MODEL	DESCRIPTION
PE-20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24", Stainless Steel, Single
EK-1	Ember Bed Kit

CONTROL OPTIONS (INTERMITTENT PILOT)

MODEL	DESCRIPTION
RVKN	Variable Flame Height, Natural
RVKP	Variable Flame Height, LP

CONTROL OPTIONS (MILLIVOLT & INTERMITTENT PILOT)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

 = STOCKED



VAIL VENT-FREE PENINSULA & SEE-THROUGH FIREPLACE PREMIUM 36

VENT-FREE - LOG SET REQUIRED

MODEL	FUEL	DESCRIPTION
VFP-36-SP32EP	Propane	Millivolt (175 lb)
VFP-36-SP32EN	Natural Gas	Millivolt (175 lb)

Both are 38,000 BTU, millivolt- has On/Off Switch

LOG SET (REQUIRED)

MODEL	DESCRIPTION
LSU24RR	Rock Creek Refractory Log Set, 11-piece, 24 in (58 lb)

HOODS

FINISH	STANDARD	EXTENDED	STANDARD FOR PENINSULA END
Black	Included	VB4H-36-BL	Included
Pewter	VF2H-36-HP	—	—
Stainless Steel	VF2H-36-SS	—	—

FRAMES

FINISH	ARCH HINGE DOOR FRAME	OUTER FRAME: SEE-THROUGH LOVERED BOXES	BOTTOM TRIM
Black	VFY-36-SBL	DVF36BL	—
Pewter	—	—	FBS-36-HP

■ = STOCKED



VAIL VENT-FREE PENINSULA & SEE-THROUGH FIREPLACE PREMIUM 36

DECORATIVE LOUVERS FOR PENINSULA END

FINISH	SLAT
Black	Included

DECORATIVE LOUVERS - SEE P. 83 FOR PICTURES

FINISH	MISSION	ARCH	SLAT
Black	FBG36MBL	FBG36ABL	Included
Pewter	FBG36MHP	—	—

DECORATIVE DOORS - SEE P. 82 FOR PICTURES

FINISH	MISSION ARCH	ARCH
Black	VFR-36-SMBL	VFR-36-SCBL
Pewter	VFR-36-SMHP	VFR-36-SCHP

ACCESSORIES

MODEL	DESCRIPTION
EK-2	Ember Kit, Super
PE-20-12	Platinum Embers (12 pack)
LK-2	Dimmer Light Kit, 120V
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB5	Single Speed Auto Blower (req. 120VAC)
SCV-1	Speed Control for Blower

CONTROL OPTIONS (MILLIVOLT & INTERMITTENT PILOT)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTC-1	Battery Remote, Thermostat
FREC-1	Remote, Electric
FRBTP	Remote, Programmable
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

■ = STOCKED



Pictured Above: Innsbrook 20,000 BTU Vent-Free Fireplace Insert shown with 6x6-inch metal surround



INNSBROOK VENT-FREE FIREPLACE/INSERT SMALL

MODEL	FUEL	CONTROL TYPE	BTU	BLOWER
VFPC20IN33P	Propane	Millivolt**	20,000	Yes
VFPC20IN33N	Natural Gas	Millivolt**	20,000	Yes
VFPC20IN73P	Propane	Intermittent [†]	20,000	Yes
VFPC20IN73N	Natural Gas	Intermittent [†]	20,000	Yes

All <= 59 lb. | Installs as Zero-Clearance Fireplace or as an insert in an existing fireplace | Includes liner and blower

INNSBROOK VENT-FREE FIREPLACE/INSERT MEDIUM

MODEL	FUEL	CONTROL TYPE	BTU	BLOWER
VFPC28IN33P	Propane	Millivolt**	28000	Yes
VFPC28IN33N	Natural Gas	Millivolt**	28000	Yes
VFPC28IN73P	Propane	Intermittent [†]	28000	Yes
VFPC28IN73N	Natural Gas	Intermittent [†]	28000	Yes

All <= 78 lb. | Installs as Zero-Clearance Fireplace or as an insert in an existing fireplace

*Thermostat control- has Hi-Low Knob

**Millivolt- has On/Off Switch

[†]Intermittent pilot- has On/Off Switch

= STOCKED

INNSBROOK VENT-FREE FIREPLACE/INSERT SMALL & MEDIUM

INSERT SURROUND (REQUIRED)

MODEL	FOR INSERT	SURROUND TYPE	# OF SIDES	LOUVER	SURROUND SIZE
DS20433BL	Small	Steel	3-sided	—	6" x 3"
DS20763BL	Small	Steel	3-sided	—	6" x 6"
DS28433BL	Medium	Steel	3-sided	—	6" x 3"
DS28763BL	Medium	Steel	3-sided	—	6" x 6"
CS3SIDED	Small/Medium	Custom	3-sided	—	
CS4SIDED	Small/Medium	Custom	4-sided	—	

Completion of the Custom Insert Surround Form required

*Includes louver

ACCESSORIES

MODEL	FOR INSERT	DESCRIPTION
SH-1-BL	Small/Medium	Shroud (hearth openings up to 48x36 in.)

CONTROL OPTIONS

MODEL	FOR INSERT	TYPE	DESCRIPTION
FRBC-1	Small/Medium	Millivolt	Battery Remote On/Off
FRBTC-1	Small/Medium	Millivolt	Battery Remote, Thermostat
FRBTP	Small/Medium	Millivolt	Remote, Programmable
FWS-1	Small/Medium	Millivolt	Wall Switch, On/Off
TMV	Small/Medium	Millivolt	Wall Thermostat - Reed Switch
TRW	Small/Medium	Millivolt	Wall Thermostat- Wireless Remote
RVKN	Small	Intermittent Pilot	Variable Flame Height, Natural
RVKP	Small	Intermittent Pilot	Variable Flame Height, LP

For more remotes see p. 79

■ = STOCKED

LINERS



STANDARD LINERS

refractory brick

aged brick

traditional brick

black reflective



*herringbone
brick*

banded brick

stacked limestone

*brushed
stainless steel*

Note: Liner availability varies by product.

LUXURY LINERS

mountain stack stone

natural banded brick

black porcelain

rustic banded brick




old world stone

aged banded brick

rustic brick

white porcelain



■ = STOCKED

MANTELS




MANTEL FINISHES



cherry



dark oak



primed



oak



unfinished hardwood


■ = STOCKED




DECORATIVE DOORS




*Leaf
Arch Doors*




*Mission
Arch Doors*



Arch Doors



*Arch Hinge
Door Frames*



Outer Frame

FINISHES



Stainless Steel



Hammered Pewter

■ = STOCKED

LOUVERS




DECORATIVE LOUVERS



Mission Louver



Arch Louver



Slat Louver

FINISHES



Hammered Pewter



Stainless Steel



Hammered Pewter

■ = STOCKED

DIRECT VENTS



RUSHMORE INSERT WITH TRUFLAME TECHNOLOGY



MODEL	FUEL TYPE	CONTROL	BTU MAX/MIN	LBS
DVCT35CBN95P	Propane	Multi-Function	35,000/12,000	124
DVCT35CBN95N	Natural Gas	Multi-Function	39,000/11,000	124

LOG SETS (REQUIRED)

MODEL	NAME	MATERIAL	LBS
LS35DINF	Driftwood	Ceramic Fiber	13
LS35TINF	Traditional Charred	Ceramic Fiber	14

 = STOCKED

RUSHMORE INSERT WITH TRUFLAME TECHNOLOGY

LINERS (REQUIRED)

MODEL	DESCRIPTION	WEIGHT
DVP35CPKR	Black Ceramic Glass walls with matte black ceiling and floor	21
DVP35CPWS	Old World Stone, Ceramic Fiber (WMH)	17
DVP35CPMB	Rustic Brick, Ceramic Fiber (WMH)	15

CONVERSION KITS

MODEL	DESCRIPTION	WEIGHT
38499	Natural to Propane	1
38500	Propane to Natural	1

DECORATIVE FRONTS AND SURROUNDS

MODEL	MATERIAL	# OF SIDES	FINISH	SIZE WxHxD	WEIGHT
DS35631BL	Metal	3 sided	Matte Black	40" x 29" x 1"	11
DS35961BL	Metal	3 sided	Matte Black	44" x 31" x 1"	13
DS351071BL	Metal	3 sided	Matte Black	48" x 33" x 1"	23
DS351271BL	Metal	3 sided	Matte Black	52" x 36" x 1"	27
DS3563BL	Metal	Flush 3 sided	Matte Black	40" x 29"	11
DS35107BL	Metal	Flush 3 sided	Matte Black	48" x 33"	23
CS3SIDED	Custom	3 sided	Matte Black	—	20
CS4SIDED	Custom	4 sided	Matte Black	—	20
SH-1-BL	Shroud	—	Matte Black	—	11

DECORATIVE FRONTS AND INSETS

MODEL	DESCRIPTION	MATERIAL	FINISH	WEIGHT
DFF35FPD	Front	Forged Iron	Distressed Pewter	28
DFF35RPD	Front Inset - Arch	Forged Iron	Distressed Pewter	11
DFF35CPD	Front Inset - Rectangle	Forged Iron	Distressed Pewter	10

VENT KITS FOR TRUFLAME INSERTS

MODEL	DESCRIPTION	WEIGHT
DVIC3	Connector Kit for 3" DV Insert Flex Venting - Includes connector and 2 clamps	
DVIC4	Connector Kit for 4" DV Insert Flex Venting - Includes connector and 2 clamps	
SD3DF4A35	Flexliner, 3" x 35'	11
SD46DVACL34	Vertical flex vent kit - High-wind Cap, 35' of 3" and 4" flex vent	
SD4DFA35	Flexliner, 4" x 35'	11

■ = STOCKED



TAHOE FIREPLACE - PREMIUM 36 IN.

ALSO AVAILABLE IN 42 IN. AND 48 IN.



INSERTS

MODEL	FUEL	CONTROL TYPE	BLOWER
DVP36FP30-LP	Propane	Millivolt	No
DVP36FP30-N	Natural Gas	Millivolt	No
DVP36FP91-LP	Propane	Multi-Function	Yes
DVP36FP91-N	Natural Gas	Multi-Function	Yes

*Multi-Function System includes Variable Remote Control
Millivolt & IP System have On/Off Switch
All BTU 25,000/27,000*


 = STOCKED




TAHOE FIREPLACE - PREMIUM 36 IN. ALSO AVAILABLE IN 42 IN. AND 48 IN.

LOUVERS


FINISH	MISSION	ARCH	SLAT
Black	FBG36MBL	FBG36ABL	Included
Pewter	FBG36MHP	FBG36AHP	—



Mission Louver



Arch Louver



Slat Louver

CONTROL OPTIONS (MILLIVOLT)

MODEL	DESCRIPTION
FRBC	Battery Remote On/Off
FRBTP	Remote, Programmable
FREC	Remote, Electric
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat- Wireless Remote

For more remotes see p. 101

LINERS

MODEL	DESCRIPTION
DVP-36-D2A	Aged Brick
DVP-36-DG	Stacked Limestone
DVP-36-KR	Black Reflective

ACCESSORIES

MODEL	ACCESSORIES
PE-20-12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB4	Variable Speed Blower (Requires FBBX)
EK-1	Ember Bed Kit



Aged Brick



Stacked Limestone



Black Reflective

MANTELS

FINISH	CABINET (164 LB)	CORNER CABINET (137 LB)
Cherry	EMBF-3S-C	EMBC-3S-C
Dark Oak	EMBF-3S-DO	EMBC-3S-DO
Oak	EMBF-3S-O	EMBC-3S-O
White	EMBF-3S-W	EMBC-3S-W

■ = STOCKED



TAHOE FIREPLACE - DELUXE 36 IN. ALSO AVAILABLE IN 32, 42 & 48 IN.

INSERTS

MODEL	FUEL	CONTROL TYPE	BLOWER
DVD36FP30-LP	Propane	Millivolt	No
DVD36FP30-N	Natural Gas	Millivolt	No
DVD36FP31-LP	Propane	Millivolt	Yes
DVD36FP31-N	Natural Gas	Millivolt	Yes

*Millivolt & IP Systems have On/Off Switch
Manufactured Home Unit includes LP Conversion Kit
All BTU 20,000*

OUTER FRAMES

FINISH	OUTER FRAME
Black	DVF2BL

LOUVERS

FINISH	SLAT
Black	Included

ACCESSORIES

MODEL	DESCRIPTION
DVFB36SBL	Barrier Screen (Expanded Metal) -Not for use with Door Set
DVWB2BL	Door Frame with Barrier Screen and Hinges (Requires Door Set Below)

MODEL	ACCESSORIES
PE-20--12	Platinum Embers (12 pack)
GF-24	Flex Gas Line, 24 in, Stainless Steel, Single
FBB4	Variable Speed Blower (Requires FBBX)
EK-1	Ember Bed Kit

 = STOCKED



TAHOE FIREPLACE - DELUXE 36 IN. ALSO AVAILABLE IN 32, 42 AND 48 IN.

LINERS

MODEL	DESCRIPTION
DVP2SA	Aged Brick
DVP2SH	Herringbone Brick
DVP2SG	Stacked Limestone
DVP2SKR	Black Reflective



Aged Brick



Herringbone Brick



Stacked Limestone



Black Reflective

CONTROL OPTIONS (MILLIVOLT)

MODEL	DESCRIPTION
FRBC-1	Battery Remote On/Off
FRBTP	Remote, Programmable
FREC-1	Remote, Electric
FWS-1	Wall Switch, On/Off
TMV	Wall Thermostat - Reed Switch
TRW	Wall Thermostat - Wireless Remote

For more remotes see p. 79

CONVERSION KITS

MODEL	DESCRIPTION
EMP18442	Natural to Propane
EMP18817	Propane to Natural

OUTER FRAMES

FINISH	OUTER FRAME
Black	DVF36BL

■ = STOCKED



VENTING ACCESSORIES - 4" X 6-5/8" FOR DIRECT VENT UNITS

MODEL	DESCRIPTION
SD-46DVA06	6 in. Pipe, Galvanized
SD-46DVA06B	6 in. Pipe, Black
SD-46DVA08A	8 in. Pipe Extension, Galvanized
SD-46DVA08AB	8 in. Pipe Extension Black
SD-46DVA09	9 in. Pipe, Galvanized,
SD-46DVA09B	9 in. Pipe, Black
SD-46DVA12	12 in. Pipe, Galvanized
SD-46DVA12B	12 in. Pipe, Black
SD-46DVA16A	16 in. Extension, Galvanized
SD-46DVA24	24 in. Pipe, Galvanized
SD-46DVA24B	24 in. Pipe, Black
SD-46DVA36	36 in. Pipe, Galvanized
SD-46DVA36B	36 in. Pipe, Black
SD-46DVA48	48 in. Pipe, Galvanized
SD-46DVA48B	48 in. Pipe, Black
SD-46DVA60	60 in. Pipe, Galvanized
SD-46DVA60B	60 in. Pipe, Black

MODEL	ELBOW
SD-46DVAE45	Elbow 45 Degree, Galvanized
SD-46DVAE45B	Elbow 45 Degree, Black
SD-46DVAE90	Elbow 90 Degree, Galvanized
SD-46DVAE90B	Elbow 90 Degree, Black

MODEL	DESCRIPTION
SD-46DVADC	Round Support Box Wall Thimble Cover
SD-46DVAF6	Adjustable Roof Flashing
SD-46DVAFS	Firestop- Ceiling
SD-46DVAGK	Linear Termination Kit
SD-46DVAHC	Cap- Hi-Wind Horizontal
SD-46DVASC	Storm Collar
SD-46DVASNK36	Snorkel 36 in. Pipe
SD-46DVAVCH	Cap- Hi-Wind Vertical
SD-46DVAVSS	Vinyl Siding Standoff
SD-46DVAWFS	Firestop- Wall
SD-46DVAWS	Wall Strap
SD-46DVAWT	Wall Thimble
SD-46DVAFCFX7	4x6 5/8 to 4x7 F,ex Connector (for use with DV(LL,TL) 41FP only)

■ = STOCKED



VENTING KITS - 4" X 6-5/8"

MODEL	HORIZONTAL VENTING KITS	DESCRIPTION
DV-822	Vinyl Siding Kit	For Empire Round Vent Kit
DWVK-4F	Direct-Vent Fireplace Flexible Vent Kit	Horizontal, Includes: Cap, Wall Thimble, Collars, Gear Clamps, Vinyl Siding Shield, 4 ft. of 4 in. & 7 in. Flexible Vent
SD-46DVACFX7	DV Adaptor	Connects DV(LL/TL)41FP to DWVK-4F
DWVK-4RP	DV Fireplace Vent Kit for Rear Vent	5 to 7 in. Wall Thickness, Standard Thru-the-Wall Venting. Includes: SD-46DVA06, SD-46DVAHC, SD-46VAWT
DWVK-4RE	Vent Kit w. Small Diameter Round Cap	Beige, Includes: Round Horizontal Termination Cap, Outside Mounting Plate, 4 in. Diameter Flue Tube, 6 5/8 in. Diameter Inlet Air Tube, Wall Thimble Assembly, Thimble Extension. For up to 13 3/4 Wall Thickness. Not for Corners.
DWVK-4FRE	DV Flexible Vent Kit Horizontal Round	Includes: Round Outside Mounting Plate, Small Round Beige Vent Cap, Wall Thimble, Collar, Adaptor Plate, Spring Spacer, Gear Clamps, 3 ft. of 4 in. & 7 in. Flexible Vent
DWVK-4REVS	Vent Kit with Small-Diameter Round Cap Vinyl Siding	Beige. Includes: Round Horizontal Termination Cap, Slimline Rect. Vinyl Siding Wall Plate/Shield, 4 in. Diameter Flue Tube, 6 5/8 in. Diameter Inlet Air Tube, Wall Thimble Assembly, Thimble Extension. For up to 13 3/4 in. Wall Thickness.
DWVK-4FREVS	DV Flexible Vinyl Siding Vent Kit	Horizontal. Includes: Slimline Rect. Vinyl Siding Wall Plate/Shield, Small Round Beige Vent Cap, Wall Thimble, Collar, Adaptor Plate, Spring Spacer, Gear Clamps, & 3 ft. of 4 in. & 7 in. Flexible Vent
DWVK-4TP	DV Fireplace Vent Kit, Top Vent, 8	Thru-the-Wall, 8 to 11 in. Wall Thickness, Includes: SD-46DVA09, SD-46DVA08A, SD-46DVAHC, SD-46DVAE90, SD-46DVAWT
DWVK-4TSP	DV Fireplace Vent Kit, Top Vent, 5	Thru-the-Wall, 5 to 7 in. Wall Thickness, Includes: SD-46DVA06, SD-46DVAHC, SD-46DVAE90, SD-46DVAWT

MODEL	VERTICAL VENTING KITS	DESCRIPTION
DVEK-25	DV Fireplace Flex Vent Extension Kit	Includes: 25 ft. of 4 in. & 7 in. Flex Vent, couplings, gear clamps. For use with DWVK-4FV.
DWVK-4FV	DV Fireplace Vent Kit	Vertical, Includes: Cap, Adjustable Firestop/Thimble, Roof Flash, Storm Collar, Roof Support, Collar, Gear Clamps, 6 ft. of 4 in. & 7 in. Flexible Vent, 4 ft. f 4 x 7 in. Rigid Vent
DVEK-10	DV Fireplace Flex Vent Extension Kit	Includes: 10 ft of 4 in. & 7 in. Flex Vent, couplings, and Gear Clamp. For use with DWVK-4FV.
DWVK-4VP	DV Fireplace Vent Kit	Vertical, Includes: SD-46DVAVCH, SD-46DVASC, & SD-46DVAF6
VIB6A	Vertical Inlet Baffle Kit	For use with 6 5/8 in. Diameter Vertical Terminals

■ = STOCKED



VENTING ACCESSORIES - 5" X 8" FOR DIRECT VENT UNITS

MODEL	VENT PIPES
SD-58DVA06	6 in. Pipe, Galvanized
SD-58DVA08A	8 in. Pipe Extension, Galvanized
SD-58DVA09	9 in. Pipe, Galvanized,
SD-58DVA12	12 in. Pipe, Galvanized
SD-58DVA16A	16 in. Pipe Extension, Galvanized
SD-58DVA24	24 in. Pipe, Galvanized
SD-58DVA36	36 in. Pipe, Galvanized
SD-58DVA48	48 in. Pipe, Galvanized
SD-58DVA60	60 in. Pipe, Galvanized

MODEL	ELBOW
SD-58DVAE45	Elbow 45 Degree, Galvanized
SD-58DVAE90	Elbow 90 Degree, Galvanized

MODEL	VENT COMPONENTS
SD-58DVAF6	Adjustable Roof Flashing
SD-58DVAFS	Firestop- Ceiling
SD-58DVAHC	Cap Horizontal Square
SD-58DVASC	Storm Collar
SD-58DVASNK14	Snorkel 14 in. Pipe
SD-58DVASNK36	Snorkel 36 in. Pipe
SD-58DVAVCH	Cap- Hi-Wind Vertical
SD-58DVAVSS	Vinyl Siding Standoff

VENTING KITS - 5" X 8"

MODEL	HORIZONTAL VENTING KITS	DESCRIPTION
DVVK-5F	Direct-Vent Fireplace Flexible Vent Kit	Horizontal, Includes: Cap, Wall Thimble, 4 ft. of 5 X 8 in. Flex Venting w. Spacers, Gear Clamps, and Vinyl Siding Shield
DVVK-5RP	DV Fireplace Vent Kit for Rear Vent	6 to 12 in. Wall Thickness, Includes: SD-58DVA06, SD-58DVAWT, & SD-58VAHC
DVVK-5TP	DV Fireplace Vent Kit for Top Vent	Thru-the-Wall, 4 to 6 in. Wall Thickness, Includes: SD-58DVAE90, SD-58DVAHC, SD-58DVA06, & SD-58DVAWT

MODEL	VERTICAL VENTING KITS	DESCRIPTION
DVVK-5VP	DV Fireplace Vent Kit	Vertical, Includes: SD-58DVAVCH, SD-58DVASC, & SD-58DVAF6

FITS DVP-42P ONLY

MODEL	ITEM	DESCRIPTION
DVA-47	DV Adaptor	5 x 8 to 4 x 6 5/8 (Top Vent Only, Simpson Dura-Vent)

 = STOCKED

WIRELESS CONTROL SYSTEMS



SKYTECH WIRELESS CONTROL SYSTEMS



1001



3301



3002

MODEL	CONTROLS	INFO
1001	Transmitter	Battery powered, two button ON/OFF transmitter, 65,536 security codes, Skytech batteries and wall clip included, receiver with learn function, snap on wall plate, and wires with connectors. Receivers can learn up to two additional Skytech transmitters.
SKY-5301	Touch Screen Transmitter	Battery powered, R.F. 1,048,576 security codes, touch screen transmitter, backlit LCD screen, thermostatic control, flame icon and low battery indicator, 9 hour countdown timer, child safety lock out.
3301	Battery Operated Transmitter	Battery powered R.F. 5-button Up/Mode/Down. Timer/Set below flip cover with velvet touch casing, 1,048,576 security codes, LCD display, temp in F or C, 9 hour low low battery indicator, Skytech batteries, wall clip, battery indicator, Skytech batteries, wall clip, countdown timer & 24 hour clock, flame icon & low battery indicator, Skytech batteries, wall clip, receiver with learn function, snap on wall plate, and wires with connectors included
3002	Battery Operated Transmitter	All battery operated R.F. 1,048,576 security codes. LCD displays both room and set temp in Celsius or Fahrenheit. Nine hour countdown timer. 24-hour clock. Flame icon and low battery indicator.

Other Models Available

= STOCKED

CORPORATE HEADQUARTERS

- 1 Tarantin Industries
86 Vanderveer Road
Freehold, NJ 07728
Toll Free: 800 922 0724
Fx: 732 780 5173

BRANCH LOCATIONS

- 2 Tarantin Industries
20 Commercial Drive
Brentwood, NH 03833
Toll Free: 800 922 0724
Fx: 603 679 4605
- 3 Tarantin Industries
30 Industrial Road
Elizabethtown, PA 17022
Toll Free: 800 922 0724
Fx: 717 361 0370
- 4 Tarantin Industries
9733 Coach Road
Richmond, VA 23237
Toll Free: 800 922 0724
Fx: 804 279 0206
- 5 Tarantin Industries
240 Oxmoor Court, Suite 268
Birmingham, AL 35209
Toll Free: 800 922 0724
Fx: 877 769 1222
- 6 Tarantin Industries
5050 State Road 206 West
Elkton, FL 32033
Toll Free: 800 922 0724
Fx: 904 692 1068



Download our app - Order from Anywhere



Tarantin

INDUSTRIES, INC.

800-922-0724 | WWW.TARANTIN.COM

Item	Pg	List Price
HSSVFR20NGBT	4	\$321.74
HSSVFR30NGBT	4	\$350.20
HSSVFRD10LPT	4	\$282.15
HSSVFRD20LPBT	4	\$321.74
HSSVFRD30LPBT	4	\$363.43
HSVFR10NG	4	\$212.74
HSSVFB20NGBT	5	\$299.29
HSSVFB30NGBT	5	\$363.43
HSSVFBF10LPT	5	\$282.15
HSSVFBF20LPBT	5	\$299.29
HSSVFBF30LPBT	5	\$363.43
HSVFB10LP	5	\$203.09
HSVFB10NG	5	\$203.09
HRW06ML	6	\$239.00
HRW06MN	6	\$239.00
HRW10ML	6	\$254.00
HRW10MN	6	\$254.00
HRW10TL	6	\$329.00
HRW10TN	6	\$329.00
HRW17ML	6	\$299.00
HRW17TL	6	\$389.00
HRW18MN	6	\$299.00
HRW18TN	6	\$389.00
HRW25ML	6	\$359.00
HRW25TL	6	\$469.00
HRW30MN	6	\$359.00
HRW30TN	6	\$469.00
HBW06ML	7	\$224.00
HBW06MN	7	\$224.00
HBW10ML	7	\$244.00
HBW10MN	7	\$244.00
HBW10TL	7	\$274.00
HBW10TN	7	\$274.00
HBW20ML	7	\$329.00
HBW20MN	7	\$329.00
HBW20TL	7	\$389.00
HBW20TN	7	\$389.00
HBW30ML	7	\$379.00
HBW30MN	7	\$379.00
HBW30TL	7	\$469.00
HBW30TN	7	\$469.00

Item	Pg.	List Price
BF10WLP	8	\$509.00
BF10WNAT	8	\$509.00
BF20WLP	8	\$549.00
BF20WNAT	8	\$549.00
BF30WLP	8	\$639.00
BF30WNAT	8	\$639.00
SR10TWLP	8	\$479.00
SR10TWNAT	8	\$479.00
SR10WLP	8	\$389.00
SR10WNAT	8	\$389.00
SR18TWLP	8	\$609.00
SR18TWNAT	8	\$609.00
SR18WLP	8	\$469.00
SR18WNAT	8	\$469.00
SR30TWLP	8	\$799.00
SR30TWNAT	8	\$799.00
SR30WLP	8	\$629.00
SR30WNAT	8	\$629.00
SR6WLP	8	\$389.00
SR6WNAT	8	\$389.00
DV210SGXLP	9	\$979.00
DV210SGXNAT	9	\$979.00
DV215SGXLP	9	\$1,109.00
DV215SGXNAT	9	\$1,109.00
DV-25-SG-LP	9	\$1,379.00
DV-25-SG-NAT	9	\$1,379.00
DV-35-SG-LP	9	\$1,499.00
DV-35-SG-NAT	9	\$1,499.00
DV-20E-LP	10	\$2,539.00
DV-20E-NAT	10	\$2,539.00
DV-40E-LP	10	\$3,159.00
DV-40E-NAT	10	\$3,159.00
DV-55E-LP	10	\$3,679.00
DV-55E-NAT	10	\$3,679.00
GWT-25-NAT	10	\$949.00
GWT-35-LP	10	\$1,029.00
GWT-35-NAT	10	\$1,029.00
GWT-50-LP	10	\$1,399.00
GWT-50-NAT	10	\$1,399.00

Item	Pg,	List Price
DVC35IPXLP	11	\$2,349.00
DVC35IPXNAT	11	\$2,349.00
DVC35SPPXLP	11	\$1,969.00
DVC35SPPXNAT	11	\$1,969.00
DVC55SPPXNAT	11	\$2,209.00
FAW40IPXLP	11	\$2,109.00
FAW55SPPXLP	11	\$1,969.00
FAW55SPPXNAT	11	\$1,969.00
RH-25-LP	12	\$1,149.00
RH-25-NAT	12	\$1,149.00
RH-35-LP	12	\$1,249.00
RH-35-NAT	12	\$1,249.00
RH-50B-LP	12	\$1,889.00
RH-50B-NAT	12	\$1,889.00
RH-50CB-LP	12	\$1,539.00
RH-50CB-NAT	12	\$1,539.00
RH-50C-LP	12	\$1,319.00
RH-50C-NAT	12	\$1,319.00
RH-65B-LP	12	\$2,049.00
RH-65B-NAT	12	\$2,049.00
RH-65CB-LP	12	\$1,689.00
RH-65CB-NAT	12	\$1,689.00
RH-65C-LP	12	\$1,469.00
RH-65C-NAT	12	\$1,469.00
3588XLP	13	\$1,919.00
3588XNAT	13	\$1,919.00
5088XLP	13	\$2,019.00
5088XNAT	13	\$2,019.00
7088XLP	13	\$2,329.00
7088XNAT	13	\$2,329.00
PVS-18N	13	\$2,619.00
PVS-18P	13	\$2,619.00
PVS-35N	13	\$3,129.00
PVS-35P	13	\$3,129.00

Prices subject to change without notice.
 Not responsible for typographical errors.

Item #	Pg.	List Price
HABLR	6	\$81.00
HABF	6	\$41.00
HABLR	7	\$81.00
HABF	7	\$41.00
SRB18TW	8	\$149.00
SRB18W	8	\$144.00
SRB30TW	8	\$149.00
SRB30W	8	\$144.00
SRS10W	8	\$71.00
SRS18W	8	\$71.00
SRS30W	8	\$71.00
DRB-1	9	\$254.00
DV-822	9	\$87.00
TRW	9	\$199.00
VSK-2	9	\$50.00
DVE-1	10	\$439.00
DVE-2	10	\$309.00
DVP-1	10	\$78.00
DVT-2	10	\$329.00
GWRB-T	10	\$159.00
T24V	10	\$30.00
TMV	10	\$35.00
TRW	10	\$199.00
DV-822	11	\$87.00
ROK-1	11	\$209.00
SOK-1	11	\$149.00
TMV	11	\$35.00
TRW	11	\$199.00
VSK-2	11	\$50.00

Item #	Pg.	List Price
DRB-1	12	\$254.00
DVP-1	12	\$78.00
FRB-3	12	\$239.00
RAD-8	12	\$269.00
RH-425	12	\$119.00
RHL-2	12	\$96.00
32276	13	\$9.00
32277	13	\$9.00
FRBTPL	13	\$219.00
PVSA1	13	\$65.00
PVSCT10	13	\$28.00
PVSDS1	13	\$214.00
PVSDV35A	13	\$29.00
PVSEP1	13	\$349.00
PVSHT2	13	\$269.00
PVSRT1	13	\$37.00
PVSW1	13	\$159.00
TRW	13	\$199.00
TRW	13	\$199.00
TRW	13	\$199.00

Prices subject to change without notice.
 Not responsible for typographical errors.

Item	Pg.	List Price
DVP30CC30B	28	\$2,929.00
DVP30CC30F	28	\$2,559.00
DVP30CC30S	28	\$2,699.00
DVP30CC30W	28	\$2,489.00
DVP30CC70B	28	\$3,089.00
DVP30CC70F	28	\$2,719.00
DVP30CC70S	28	\$2,849.00
DVP30CC70W	28	\$2,649.00
VFD30CC30B	28	\$2,249.00
VFD30CC30F	28	\$1,849.00
VFD30CC30M	28	\$2,249.00
VFD30CC30S	28	\$2,039.00
VFD30CC30W	28	\$1,789.00
VFD30CC70B	28	\$2,349.00
VFD30CC70F	28	\$1,949.00
VFD30CC70M	28	\$2,349.00
VFD30CC70W	28	\$1,909.00

Item	Pg.	List Price
EMP31057	29	\$49.00
EMP31058	29	\$49.00
CIB3	29	\$349.00
CIFPB1	29	\$189.00
CIFPB1C	29	\$249.00
CIFS10M	29	\$239.00
CIFS10MC	29	\$339.00
CIFS11G	29	\$359.00
CIFS11GC	29	\$499.00
CIFS12A	29	\$429.00
CIFS12AC	29	\$609.00
CIFS8V	29	\$399.00
CIFS8VC	29	\$539.00
CIFS9A	29	\$399.00
CIFS9AC	29	\$579.00
CSI10M	29	\$169.00
CSI11G	29	\$209.00
CSI12A	29	\$229.00
CSI8V	29	\$229.00
CSKB	29	\$219.00
CSKF	29	\$139.00
CSKM	29	\$239.00
CSKS	29	\$194.00
CSKW	29	\$124.00
DFB30CCBL	29	\$189.00
DVP30CCKR	29	\$239.00
FRBC1	29	\$159.00
FRBTC1	29	\$198.99
FRBTP	29	\$304.00
FREC1	29	\$149.00
FWS1	29	\$25.00
GF24	29	\$29.00
RCK30	29	\$89.00
RVKN	29	\$279.00
RVKP	29	\$279.00
TMV	29	\$35.00
TRW	29	\$199.00

Prices subject to change without notice.
 Not responsible for typographical errors.

Item	Pg.	List Price	Item	Pg.	List Price	Item	Pg.	List Price
EK1	30	\$70.00	LS-18P	32	\$259.00	VFSE-18-LP	34	\$1,164.00
EK2	30	\$80.00	LS-18RS	32	\$159.00	VFSE-18-N	34	\$1,164.00
FRBC-1	30	\$159.00	LS-18RSS	32	\$259.00	VFSE-24-LP	34	\$1,184.00
FRBTC-1	30	\$198.99	LS-18SRAO	32	\$149.00	VFSE-24-N	34	\$1,184.00
FRBTP	30	\$304.00	LS-24P	32	\$314.00	VFSE-30-LP	34	\$1,214.00
FREC-1	30	\$149.00	LS-24RAO	32	\$184.00	VFSE-30-N	34	\$1,214.00
FWS-1	30	\$25.00	LS-24RS	32	\$194.00	VFSR-16-LP	34	\$749.00
GF24	30	\$29.00	LS-24RSS	32	\$309.00	VFSR-16-N	34	\$749.00
PE-20-12	30	\$219.00	LS-30P	32	\$349.00	VFSR-18-LP	34	\$759.00
TDV1	30	\$104.00	LS-30RS	32	\$219.00	VFSR-18-N	34	\$759.00
TMV	30	\$35.00	LS-30RSS	32	\$349.00	VFSR-24-LP	34	\$799.00
TRW	30	\$199.00	LS-30SRAO	32	\$199.00	VFSR-24-N	34	\$799.00
VFDM-18LBN	30	\$479.00	LSU18RR	32	\$319.00	VFSR-30-LP	34	\$869.00
VFDM-18LBP	30	\$479.00	LSU24RR	32	\$344.00	VFSR-30-N	34	\$869.00
VFDM-24LBN	30	\$489.00	LSU30RR	32	\$349.00	VFSUE18N	34	\$1,324.00
VFDM-24LBP	30	\$489.00	LS-16C	33	\$129.00	VFSUE18P	34	\$1,324.00
VFDM-30LBN	30	\$559.00	LS-18B2	33	\$139.00	VFSUE24N	34	\$1,404.00
VFDM-30LBP	30	\$559.00	LS-18C2	33	\$139.00	VFSUE24P	34	\$1,404.00
VFDR-18LB10N	30	\$609.00	LS-18C2S	33	\$239.00	VFSUE30N	34	\$1,484.00
VFDR-18LB10P	30	\$609.00	LS-24B2	33	\$159.00	VFSUE30P	34	\$1,484.00
VFDR-18LBP	30	\$609.00	LS-24C2	33	\$159.00	VFSUR18P	34	\$904.00
VFDR-24LBN	30	\$669.00	LS-24C2S	33	\$269.00	VFSUR24N	34	\$984.00
VFDR-24LBP	30	\$669.00	LS-30B2	33	\$184.00	VFSUR30N	34	\$1,044.00
VFDR-30LBN	30	\$699.00	LS-30C2	33	\$179.00	VFSUR30P	34	\$1,044.00
VFDR-30LBP	30	\$699.00	LS-30C2S	33	\$299.00	VFSUR18N	34	\$904.00
VFDT-18LBN	30	\$519.00	LSU18SF	33	\$184.00	VFSUR24P	34	\$984.00
VFDT-18LBP	30	\$519.00	LSU24SF	33	\$329.00	FRIP	35	\$134.00
VFDT-24LBN	30	\$579.00	LSU30SF	33	\$369.00	VFSM-18-LP	35	\$599.00
VFDT-24LBP	30	\$579.00				VFSM-18-N	35	\$599.00
VFDT-30LBN	30	\$599.00				VFSM-24-LP	35	\$649.00
VFDT-30LBP	30	\$599.00				VFSM-24-N	35	\$649.00
VFDR-18LBW10N	31	\$609.00				VFSM-30-LP	35	\$719.00
VFDR-18LBW10P	31	\$609.00				VFSM-30-N	35	\$719.00
VFDR-18LBWN	31	\$759.00				VFSV-16-LP	35	\$929.00
VFDR-18LBWP	31	\$759.00				VFSV-16-N	35	\$929.00
VFDR-24LBWN	31	\$669.00				VFSV-18-LP	35	\$989.00
VFDR-24LBWP	31	\$669.00				VFSV-18-N	35	\$989.00
VFDR-30LBWN	31	\$699.00				VFSV-24-LP	35	\$1,059.00
VFDR-30LBWP	31	\$699.00				VFSV-24-N	35	\$1,059.00
VFDT-18LBWN	31	\$519.00				VFSV-30-LP	35	\$1,119.00
VFDT-18LBWP	31	\$519.00				VFSV-30-N	35	\$1,119.00
VFDT-24LBWN	31	\$579.00						
VFDT-24LBWP	31	\$579.00						
VFDT-30LBWN	31	\$599.00						
VFDT-30LBWP	31	\$599.00						

Prices subject to change without notice.

Not responsible for typographical errors.

Item	Pg.	List Price
ELH-1	36	\$75.00
GF-24	36	\$29.00
HLS-18R1	36	\$169.00
HLS-24R1	36	\$189.00
HVFR18N	36	\$369.00
HVFR18P	36	\$369.00
HVFR24N	36	\$379.00
HVFR24P	36	\$379.00
VFIL-18-LP	36	\$1,009.00
VFIL-18-N	36	\$1,009.00
VFIL-24-LP	36	\$1,079.00
VFIL-24-N	36	\$1,079.00
VFIL-30-LP	36	\$1,129.00
VFIL-30-N	36	\$1,129.00
VFRL-24-LP	36	\$749.00
VFRL-24-N	36	\$749.00
VFRL-30-LP	36	\$819.00
VFRL-30-N	36	\$819.00
AD-110-6V	37	\$63.00
VBP-32-SKR	37	\$299.00
VBP-36-SKR	37	\$319.00
VBP-36-SSS	37	\$214.00
VBP-42-SKR	37	\$339.00
VBP-42-SS	37	\$152.00
VFRU-24-LP	37	\$819.00
VFRU-24-N	37	\$819.00
DG-1-AB	38	\$32.00
DG-1-BKP	38	\$64.00
DG-1-BUC	38	\$64.00
DG-1-CLF	38	\$64.00
DG-1-GC	38	\$35.00
DG-1-NXS	38	\$53.00
DG-1-SL	38	\$35.00
DG-1-TZC	38	\$89.00
DR1FMA	38	\$134.00
DRFPA	38	\$134.00

Prices subject to change without notice.
Not responsible for typographical errors.

Item	Pg.	List Price	Item	Pg.	List Price	Item	Pg.	List Price
EK-1	39	\$70.00	EK-1	41	\$70.00	DVL36HP	42	\$75.00
FBB5	39	\$209.00	FBB5	41	\$209.00	EK-1	42	\$70.00
SCV-1	39	\$38.00	FBS-36-HP	41	\$47.00	EMBC-3S-C	42	\$1,079.00
VB2H-32-HP	39	\$57.00	SCV-1	41	\$38.00	EMBC-3S-DO	42	\$1,079.00
VB4H-32-BL	39	\$81.00	VB2H-36-HP	41	\$71.00	EMBC-3S-O	42	\$1,079.00
VFA-2	39	\$71.00	VB2H-36-SS	41	\$91.00	EMBC-3S-UH	42	\$919.00
VFD-32-FB0F	39	\$469.00	VB4H-36-BL	41	\$88.00	EMBC-3S-W	42	\$1,079.00
VFD-32-FB0L	39	\$469.00	VBP-36-SA	41	\$199.00	EMBC-4S-W	42	\$1,119.00
VFD-32-FB2MF	39	\$579.00	VBP-36-SE	41	\$204.00	EMBF-3S-C	42	\$1,139.00
VFD-32-FB2ML	39	\$579.00	VBP-36-SF	41	\$199.00	EMBF-3S-DO	42	\$1,139.00
VFD-36-FB0F	39	\$519.00	VBP-36-SG	41	\$209.00	EMBF-3S-O	42	\$1,139.00
VFD-36-FB0L	39	\$519.00	VBP-36-SKR	41	\$319.00	EMBF-3S-UH	42	\$949.00
VFD-36-FB2MF	39	\$619.00	VBP-36-SSS	41	\$214.00	EMBF-3S-W	42	\$1,139.00
DVG1ABL	40	\$279.00	VBS-36-SBL	41	\$139.00	EMBF-4S-W	42	\$1,169.00
DVG1AHP	40	\$279.00	VFA-2	41	\$71.00	FBB5	42	\$209.00
DVG1MBL	40	\$279.00	VFY-36-SBL	41	\$209.00	FBG36ABL	42	\$299.00
DVG1MHP	40	\$279.00				FBG36AHP	42	\$299.00
DVL1HP	40	\$89.00				FBG36MBL	42	\$299.00
DVL1SS	40	\$100.00				FBG36MHP	42	\$299.00
EMBC-1S-C	40	\$649.00				SCV-1	42	\$38.00
EMBC-1S-DO	40	\$649.00				VB4H-42-BL	42	\$104.00
EMBC-1S-O	40	\$649.00				VBP-42-SA	42	\$209.00
EMBC-1S-UH	40	\$549.00				VBP-42-SG	42	\$234.00
EMBC-1S-W	40	\$649.00				VBP-42-SS	42	\$152.00
EMBF-1S-C	40	\$649.00				VBS-42-SBL	42	\$149.00
EMBF-1S-DO	40	\$649.00				VFA-2	42	\$71.00
EMBF-1S-O	40	\$649.00				VFD-42-FB0F	42	\$609.00
EMBF-1S-UH	40	\$549.00				VFD-42-FB0L	42	\$609.00
EMBF-1S-W	40	\$649.00				VFD-42-FB2MF	42	\$739.00
VBP-32-SA	40	\$189.00				VFD-42-FB2ML	42	\$739.00
VBP-32-SE	40	\$189.00				VFR-36-SCBL	42	\$619.00
VBP-32-SF	40	\$189.00				VFR-36-SCHP	42	\$619.00
VBP-32-SG	40	\$199.00				VFR-36-SMBL	42	\$619.00
VBP-32-SKR	40	\$299.00				VFR-36-SMHP	42	\$619.00
VBS-32-SBL	40	\$129.00				EK-1	43	\$70.00
VFR-32-SCBL	40	\$609.00				FBB5	43	\$209.00
VFR-32-SCHP	40	\$609.00				LK-3	43	\$194.00
VFR-32-SMBL	40	\$609.00				SCV-1	43	\$38.00
VFR-32-SMHP	40	\$609.00				VFA-2	43	\$71.00
VFY-32-SBL	40	\$199.00				VFP-36-FB0F	43	\$639.00
						VFP-36-FB0L	43	\$639.00

Prices subject to change without notice.

Not responsible for typographical errors.

Item	Pg.	List Price
DVL36HP	44	\$75.00
DVL36SS	44	\$110.00
FBG36ABL	44	\$299.00
FBG36AHP	44	\$299.00
FBG36MBL	44	\$299.00
FBG36MHP	44	\$299.00
VBP-36-D2E	44	\$234.00
VBP-36-D2F	44	\$229.00
VBP-36-D2G	44	\$249.00
VBR-36-TCHP	44	\$689.00
VBP-36-T2G	45	\$319.00
VBP-36-T2H	45	\$289.00
VFS-36-FBOF	45	\$719.00
EK-2	46	\$80.00
FBB5	46	\$209.00
FPK-22	46	\$64.00
FPK-36	46	\$66.00
LK-2	46	\$244.00
PE-20-12	46	\$219.00
SCV-1	46	\$38.00
VFP-36-SB2EF	46	\$1,379.00

Item	Pg.	List Price
EMBC-3S-C	42	\$1,079.00
EMBC-3S-DO	42	\$1,079.00
EMBC-3S-O	42	\$1,079.00
EMBC-3S-UH	42	\$919.00
EMBC-3S-W	42	\$1,079.00
EMBF-3S-C	42	\$1,139.00
EMBF-3S-DO	42	\$1,139.00
EMBF-3S-O	42	\$1,139.00
EMBF-3S-UH	42	\$949.00
EMBF-3S-W	42	\$1,139.00
FBG36ABL	46	\$299.00
FBG36MBL	46	\$299.00
VBP36LKR	47	\$469.00
VBP36LWR	47	\$469.00
VFLB36FP90LN	47	\$2,369.00
VFLB36FP90LP	47	\$2,369.00
DG-1-BKP	48	\$64.00
DG-1-BUC	48	\$64.00
DG-1-CLF	48	\$64.00
DG-1-NXS	48	\$53.00
DG-1-TZC	48	\$89.00
DR1FMA	48	\$134.00
DRFPA	48	\$134.00
FRBTC-1	48	\$198.99
FRBTP	48	\$304.00
LK-5	48	\$134.00
LS-38DF	48	\$214.00
TRW	48	\$199.00
FRBTC-1	49	\$198.99
FRBTP	49	\$304.00
LK-5	49	\$134.00
LS-48DF	49	\$254.00
TRW	49	\$199.00
VBP48LKR	49	\$489.00
VFLL-48-FP30LN	49	\$2,409.00
VFLL-48-FP30LP	49	\$2,409.00
VFLL-48-FP90LN	49	\$2,689.00
VFLL-48-FP90LP	49	\$2,689.00

Item	Pg.	List Price
DF-48-4BL	50	\$379.00
DF-48-WBL	50	\$484.00
DF-48-WHP	50	\$509.00
DG-1-BKP	50	\$64.00
DG-1-BUC	50	\$64.00
DG-1-CLF	50	\$64.00
DG-1-NXS	50	\$53.00
DG-1-TZC	50	\$89.00
DR1FMA	50	\$134.00
DRFPA	50	\$134.00
FRBC-1	51	\$159.00
FRBTC-1	51	\$198.99
FRBTP	51	\$304.00
FREC-1	51	\$149.00
FWS-1	51	\$25.00
TMV	51	\$35.00
TRW	51	\$199.00
VFP24FP20LN	51	\$1,179.00
VFP24FP20LP	51	\$1,179.00
VFP24FP30L10N	51	\$1,279.00
VFP24FP30L10P	51	\$1,279.00
VFP24FP30LP	51	\$1,279.00
EHL-24-1	52	\$189.00
EMC-22DO	52	\$819.00
EMC-22O	52	\$819.00
FBB6	52	\$229.00
GF-24	52	\$29.00
PE-20-12	52	\$219.00
VPL-24-HP	52	\$109.00
VPP1A-22	52	\$189.00
FPP26E	53	\$159.00
VFD26FM30CN	53	\$1,739.00
VFD26FM30CP	53	\$1,739.00
VFD26FM30WN	53	\$1,739.00
VFD26FM30WP	53	\$1,739.00

Item	Pg.	List Price
EK-1	54	\$70.00
FBB4	54	\$259.00
FBBX	54	\$35.00
FRBC-1	54	\$159.00
FRBTC-1	54	\$198.99
FRBTP	54	\$304.00
FREC-1	54	\$149.00
FWS-1	54	\$25.00
GF-24	54	\$29.00
PE-20-12	54	\$219.00
TMV	54	\$35.00
TRW	54	\$199.00
VP2H26HP	54	\$81.00
VPF26HP	54	\$104.00
VPL26HP	54	\$99.00
VPS26HP	54	\$61.00
EMBC-11S-C	55	\$649.00
EMBC-11S-DO	55	\$649.00
EMBC-11S-O	55	\$649.00
EMBF-11-SC	55	\$649.00
EMBF-11S-DO	55	\$649.00
EMBF-11S-O	55	\$649.00
VFD26FP20LN	55	\$1,149.00
VFD26FP20LP	55	\$1,149.00
VFD26FP30L10N	55	\$1,219.00
VFD26FP30L10P	55	\$1,219.00
VFD26FP30LN	55	\$1,219.00
VFD26FP30LP	55	\$1,219.00
VFD26FP70LN	55	\$1,359.00
VFD26FP70LP	55	\$1,359.00

Item	Pg.	List Price
EK-1	56	\$70.00
FBB4	56	\$259.00
FBBX	56	\$35.00
FPP26E	56	\$159.00
FRBC-1	56	\$159.00
FRBTC-1	56	\$198.99
FRBTP	56	\$304.00
FREC-1	56	\$149.00
FWS-1	56	\$25.00
GF-24	56	\$299.00
PE-20-12	56	\$299.00
TMV	56	\$469.00
TRW	56	\$469.00
VP2H26HP	56	\$81.00
VPF26HP	56	\$104.00
VPL26HP	56	\$99.00
VPS26HP	56	\$61.00
LS-24EF	57	\$159.00
LS-24RS	57	\$194.00
VFPA32BP30L-LP	57	\$1,289.00
VFPA32BP30LN	57	\$1,289.00
VFPA32BP31L-LP	57	\$1,499.00
VFPA32BP31LN	57	\$1,499.00

Item	Pg.	List Price
DVG1ABL	58	\$279.00
DVG1AHP	58	\$279.00
DVG1MBL	58	\$279.00
DVG1MHP	58	\$279.00
DVL1HP	58	\$89.00
DVL1SS	58	\$100.00
EMBC-1S-C	58	\$969.00
EMBC-1S-DO	58	\$969.00
EMBC-1S-O	58	\$969.00
EMBC-1S-UH	58	\$819.00
EMBC-1S-W	58	\$969.00
EMBF-1S-C	58	\$1,279.00
EMBF-1S-DO	58	\$1,019.00
EMBF-1S-O	58	\$1,019.00
EMBF-1S-UH	58	\$849.00
EMBF-1S-W	58	\$1,019.00
FBS-1-HP	58	\$46.00
VFR-32-SCBL	58	\$159.00
VFR-32-SCHP	58	\$1,739.00
VFR-32-SMBL	58	\$1,739.00
VFR-32-SMHP	58	\$609.00
VFY-32-SBL	58	\$199.00

Item	Pg.	List Price
EK-1	59	\$70.00
FRBC-1	59	\$159.00
FRBTC-1	59	\$198.99
FRBTP	59	\$304.00
FREC-1	59	\$149.00
FWS-1	59	\$25.00
GF-24	59	\$29.00
PE-20-12	59	\$219.00
RVKN	59	\$279.00
RVKP	59	\$35.00
TMV	59	\$199.00
TRW	59	\$81.00
VPP-32-A	59	\$104.00
VPP-32-G	59	\$99.00
LS-30EF	60	\$61.00
LS-30RS	60	\$219.00
VFPA36BP30L-LP	60	\$1,459.00
VFPA36BP30LN	60	\$1,459.00
VFPA36BP31L-LP	60	\$1,649.00
VFPA36BP31LN	60	\$1,649.00
VFPA36BP70L-LP	60	\$1,609.00
VFPA36BP70LN	60	\$1,609.00
VFR-36-SCBL	60	\$619.00
VFR-36-SCHP	60	\$619.00
VFR-36-SMBL	60	\$619.00
VFR-36-SMHP	60	\$619.00

Item	Pg.	List Price	Item	Pg.	List Price
DVF36HP	61	\$104.00	EK-2	63	\$80.00
EK-1	61	\$70.00	FBB5	63	\$209.00
EK-1	61	\$70.00	FBG36ABL	63	\$299.00
EMBC-3S-C	61	\$1,079.00	FBG36AHP	63	\$299.00
EMBC-3S-DO	61	\$1,079.00	FBG36MBL	63	\$299.00
EMBC-3S-O	61	\$1,079.00	FBG36MHP	63	\$299.00
EMBF-3S-C	61	\$1,139.00	FPK-22	63	\$64.00
EMBF-3S-DO	61	\$1,139.00	FPK-36	63	\$66.00
EMBF-3S-O	61	\$1,139.00	FRBC-1	63	\$159.00
FBG36ABL	61	\$299.00	FRBTC-1	63	\$198.99
FBG36MBL	61	\$299.00	FRBTP	63	\$304.00
FBG36MHP	61	\$299.00	FREC-1	63	\$149.00
FRBC-1	61	\$159.00	FWS-1	63	\$25.00
FRBTC-1	61	\$198.99	GF-24	63	\$29.00
FRBTP	61	\$304.00	LK-2	63	\$244.00
FREC-1	61	\$149.00	PE-20-12	63	\$219.00
FWS-1	61	\$25.00	SCV-1	63	\$38.00
GF-24	61	\$29.00	TMV	63	\$35.00
PE-20-12	61	\$219.00	TRW	63	\$199.00
RVKN	61	\$279.00	VFR-36-SCBL	63	\$619.00
RVKP	61	\$279.00	VFR-36-SCHP	63	\$619.00
TMV	61	\$35.00	VFR-36-SMBL	63	\$619.00
TRW	61	\$199.00	VFR-36-SMHP	63	\$619.00
VF2H-36-HP	61	\$71.00			
VF2H-36-SS	61	\$81.00			
VFY-36-SBL	61	\$209.00			
DVF36BL	62	\$104.00			
FBS-36-HP	62	\$47.00			
LSU24RR	62	\$344.00			
VB4H-36-BL	62	\$88.00			
VF2H-36-HP	62	\$71.00			
VF2H-36-SS	62	\$81.00			
VFP-36-SP32EN	62	\$2,149.00			
VFP-36-SP32EP	62	\$2,149.00			
VFY-36-SBL	62	\$209.00			

Prices subject to change without notice.
Not responsible for typographical errors.

Item	Pg.	List Price
VFPC20IN33P	64	\$1,649.00
VFPC20IN33N	64	\$1,649.00
VFPC28IN33LP	64	\$1,669.00
VFPC28IN33LN	64	\$1,669.00
VFPC28IN73LP	64	\$1,819.00
VFPC28IN73LN	64	\$1,819.00
DS20433BL	65	\$179.00
DS20763BL	65	\$199.00
DS28433BL	65	\$189.00
DS28763BL	65	\$209.00
CS3SIDED	65	\$739.00
CS4SIDED	65	\$739.00
SH-1-BL	65	\$179.00
FRBC-1	65	\$159.00
FRBTC-1	65	\$198.99
FRBTP	65	\$304.00
FWS-1	65	\$25.00
TMV	65	\$35.00
TRW	65	\$199.00
RVKN	65	\$279.00
RVKP	65	\$279.00

Prices subject to change without notice.
 Not responsible for typographical errors.

Item	Pg.	List Price
DVCT35CBN95N	70	\$3,609.00
DVCT35CBN95P	70	\$3,609.00
LS35DINF	70	\$319.00
LS35TINF	70	\$289.00
38499	71	\$79.00
38500	71	\$79.00
CS3SIDED	71	\$739.00
CS4SIDED	71	\$739.00
DFF35CPD	71	\$329.00
DFF35FPD	71	\$1,189.00
DFF35RPD	71	\$359.00
DS351071BL	71	\$299.00
DS35107BL	71	\$309.00
DS351271BL	71	\$309.00
DS35631BL	71	\$269.00
DS3563BL	71	\$299.00
DS35961BL	71	\$279.00
DVIC3	71	\$59.00
DVIC4	71	\$59.00
DVP35CPKR	71	\$559.00
DVP35CPMB	71	\$279.00
DVP35CPWS	71	\$299.00
SD3DF4A35	71	\$179.00
SD46DVACL34	71	\$549.00
SH-1-BL	71	\$179.00
DVP36FP30-LP	72	\$1,669.00
DVP36FP30-N	72	\$1,669.00
DVP36FP91-LP	72	\$2,489.00
DVP36FP91-N	72	\$2,489.00

Item	Pg.	List Price
DVP-36-D2A	73	\$219.00
DVP-36-DG	73	\$259.00
DVP-36-KR	73	\$349.00
EK-1	73	\$70.00
EMBC-3S-C	73	\$1,079.00
EMBC-3S-DO	73	\$1,079.00
EMBC-3S-O	73	\$1,079.00
EMBC-3S-UH	73	\$919.00
EMBC-3S-W	73	\$1,079.00
EMBF-3S-C	73	\$1,139.00
EMBF-3S-DO	73	\$1,139.00
EMBF-3S-O	73	\$1,139.00
EMBF-3S-UH	73	\$949.00
EMBF-3S-W	73	\$1,139.00
FBB4	73	\$259.00
FBG36ABL	73	\$299.00
FBG36MBL	73	\$299.00
FBG36MHP	73	\$299.00
FRBC-1	73	\$159.00
FRBTP	73	\$304.00
FREC-1	73	\$149.00
FWS-1	73	\$25.00
GF-24	73	\$29.00
PE-20-12	73	\$219.00
TMV	73	\$35.00
TRW	73	\$199.00
DVD36FP30-LP	74	\$1,299.00
DVD36FP30-N	74	\$1,299.00
DVD36FP31-LP	74	\$1,549.00
DVD36FP31-N	74	\$1,549.00
DVF2BL	74	\$104.00
DVFB36SBL	74	\$179.00
DVWB2BL	74	\$189.00
EK-1	74	\$70.00
FBB4	74	\$259.00
GF-24	74	\$29.00
PE-20-12	74	\$219.00

Item	Pg.	List Price
DVF36BL	75	\$104.00
DVP2SA	75	\$179.00
DVP2SG	75	\$209.00
DVP2SH	75	\$199.00
DVP2SKR	75	\$279.00
EMP18442	75	\$49.00
EMP18817	75	\$49.00
FRBC-1	75	\$159.00
FRBTP	75	\$304.00
FREC-1	75	\$149.00
FWS-1	75	\$25.00
TMV	75	\$35.00
TRW	75	\$199.00

Item	Pg.	List Price
SD-46DVA06	76	\$47.00
SD-46DVA06B	76	\$87.00
SD-46DVA08A	76	\$70.00
SD-46DVA08AB	76	\$129.00
SD-46DVA09	76	\$59.00
SD-46DVA09B	76	\$87.00
SD-46DVA12	76	\$64.00
SD-46DVA12B	76	\$99.00
SD-46DVA16A	76	\$59.00
SD-46DVA24	76	\$87.00
SD-46DVA24B	76	\$129.00
SD-46DVA48	76	\$119.00
SD-46DVA60	76	\$159.00
SD-46DVA60B	76	\$214.00
SD-46DVADC	76	\$109.00
SD-46DVAE45	76	\$87.00
SD-46DVAE45B	76	\$109.00
SD-46DVAE90	76	\$99.00
SD-46DVAE90B	76	\$129.00
SD-46DVAF6	76	\$59.00
SD-46DVAFCFX7	76	\$64.00
SD-46DVAFS	76	\$27.00
SD-46DVAGK	76	\$269.00
SD-46DVAHC	76	\$339.00
SD-46DVASC	76	\$19.00
SD-46DVASNK14	76	\$819.00
SD-46DVASNK36	76	\$929.00
SD-46DVAVSS	76	\$129.00
SD-46DVAVCH	76	\$129.00
SD-46DVAWFS	76	\$87.00
SD-46DVAWS	76	\$42.00
SD-46DVAWT	76	\$82.00
SD-46DVA36	76	\$109.00
SD-46DVA36B	76	\$164.00

Item	Pg.	List Price
DV-822	77	\$87.00
DVEK-10	77	\$189.00
DVEK-25	77	\$349.00
DVVK-4F	77	\$359.00
DVVK4-FRE	77	\$299.00
DVVK4-FREVS	77	\$319.00
DVVK4-FV	77	\$679.00
DVVK4-RE	77	\$179.00
DVVK4-REVS	77	\$219.00
DVVK-4RP	77	\$279.00
DVVK4-TP	77	\$479.00
DVVK4-TSP	77	\$339.00
DVVK4-VP	77	\$199.00
SD-46DVAFCFX7	77	\$64.00
VIB6A	77	\$60.00
DVA-47	78	\$139.00
DVVK5-VP	78	\$249.00
DVVK-5F	78	\$369.00
DVVK5-RP	78	\$349.00
DVVK5-TP	78	\$409.00
SD-58DVA06	78	\$59.00
SD-58DVA08A	78	\$82.00
SD-58DVA09	78	\$59.00
SD-58DVA12	78	\$70.00
SD-58DVA16A	78	\$70.00
SD-58DVA24	78	\$99.00
SD-58DVA36	78	\$109.00
SD-58DVA48	78	\$139.00
SD-58DVA60	78	\$199.00
SD-58DVAE45	78	\$99.00
SD-58DVAE90	78	\$119.00
SD-58DVAF6	78	\$109.00
SD-58DVAFS	78	\$27.00
SD-58DVAHC	78	\$379.00
SD-58DVASC	78	\$29.00
SD-58DVASNK14	78	\$869.00
SD-58DVASNK36	78	\$1,009.00
SD-58DVAVCH	78	\$169.00
SD-58DVAVSS	78	\$169.00

Prices subject to change without notice.
 Not responsible for typographical errors.